

Nest Survey Report

Date: 05/24/2018

Biologist(s): Amy Trexler

Survey Area/Location/Structures:

Pole location: CC MM PP

Proposed Construction within Survey Area:

Proposed construction activities include final grading around the pole and backfilling behind the retaining wall.

Is Vegetation Clearing Required? Yes: No:

Was Complete Survey Coverage Achieved? Yes: ⊠ No:

Details of modifications to the survey area if complete coverage was not achieved: N/A

Survey Conditions:

Start	End
12:30 pm	2:00 pm
65 °	65 °
0-5 mph	0-5 mph
100%	100%
n/a	n/a
	12:30 pm 65 ° 0-5 mph 100%

Habitat(s) and Vegetation Description within Survey Area:

- Southern coast live oak riparian forest
- Southern willow riparian forest \circ
- Coastal sage scrub 0
- Ornamental 0
- Disturbed

Description of Survey Methodology:

The biologists conducted active and passive surveys within a survey buffer of 0.25 mile for white tailed kite, 500 feet for raptors, coastal California gnatcatcher, and least Bell's vireo, 250 feet for passerine birds in open space, and 150 feet for common passerines in residential, commercial and industrial areas. Active survey methods included walking meandering transects through the habitats while observing bird behavior with the aid of binoculars and directly searching in vegetation, the ground, the towers/poles, and other potential nest substrates. Passive survey methods included stationary observation periods from select vantage points that provided maximum visibility of the survey areas, using binoculars as necessary. If potential nesting behavior was observed within the survey buffers, specific shrubs were directly searched for nests in the areas where birds may have been observed exhibiting higher levels of activity or potential breeding behavior. All potential raptor nesting areas within the survey buffers were searched directly and/or with the aid of binoculars. Visibility, access, time of year and weather conditions were all conducive to collecting comprehensive breeding data, and ample time was spent surveying all potential nest sites.

Balk Biological Inc.

Suitable Rap	tor Nesting Ha	bitat:		Yes: 🖂	No:			
Suitable CAGN Nesting Habitat:			Yes: 🛛	No:				
Suitable LBV	Nesting Habi	tat:		Yes: 🛛	No:			
	Ö		urvey Resul	ts —				
<u>Survey Results</u>								
Nest(s) Located (complete table below if yes)*: (Include previously located nests and current status)			Yes:	No: 🗵				
		T	3. 7		Latitude	Longitude		
Nest ID ¹	Species ²	Listing	Nest	Observation Notes ⁵	(decimal	(decimal		
- 1000	~ P	Status ³	Stage ⁴		degrees)	degrees)		
1 – Date (mmddyyy)_Biologist Initials (ABC)_Number ID (01) 2 – Include common name and four letter AOU species code 3 – 3 – Federally Endangered (FE), Federally Threatened (FT), State Endangered (SE), State Threatened (ST), Species of Special Concern (SSC), Watch List (WL), Common 4 – Building, Incubating, Nestling, Fledged, Complete/Inactive 5 – Observation Notes: Item Carry (IC- nest material, food items, fecal sacs that indicate nesting in progress), Agitated/Territorial Behavior (ATB – indicating potential nest sites or an intent to nest), Courtship Behavior (CB – copulation, chasing flights, displays, etc.), Pair in Suitable Habitat (PSH – utilizing all or portions of the buffer zone), Other								
Avian Species Observed (complete common name): Allen's hummingbird (ALHU), California towhee (CALT), common raven (CORA), European starling (EUST), greater roadrunner (GRRO), Killdeer (KILL), lesser goldfinch (LEGO), mourning dove (MODO), northern mockingbird (NOMO), and red-tailed hawk (RTHA).								
Additional Notes (see Avian Species Observed and Observation Notes for definition of abbreviations):								
Nesting Rap Nesting Pas Nesting Pas	FKI within 0.25 ptor, CAGN, or serine within 2 serine within 1 l, residential ar	r LBV within 250 feet (open 50 feet (resid	space only)	Yes: ☐ Yes: ☐ Yes: ☐ Yes: ☐	No: No: No: No: No: No:			

 $\frac{Establishment\ of\ Nest\ Buffer\ and\ Justification:}{N/A}$