

# **Nest Survey Report**

**Date:** 7/05/2018

**Biologist(s):** Brennan Mulrooney; Ron Walker

## **Survey Area/Location/Structures:**

Segment 5 – Section 1; through, Alignment 8 Segment 8

Surveyed six Alternating Current mitigation (AC mitigation) sites from structure CC MM CP to Northwest corner of Penasquitos Substation

### **Proposed Construction within Survey Area:**

Proposed construction activities include pot-holing and excavation, for the installation of AC mitigation (grounding protection for underground gas lines in close proximity to overhead 230kV lines.

protection for underground gas lines in close prox	imity to overr	iead 230KV IIn	es.				
Is Vegetation Clearing Required? Yes: ⊠	No:						
Was Complete Survey Coverage Achieved	<b>?</b> Yes: ⊠	No:					
Details of modifications to the survey area if complete coverage was not achieved: N/A							
Survey Conditions:	<b>Q</b> .						
	Start		End				
Time	8:00 am	11	1:45 pm				
Temperature (°F):	68 °	72	<u> </u>				
Wind Speed (mph):	2-6 mph	4-	7 mph				
Cloud Cover (%):	0%	09	%				
Precipitation Type (if any) and duration:	n/a	n/	a				

#### **Habitat(s) and Vegetation Description within Survey Area:**

- o Ornamental
- o Disturbed
- o Coastal Sage Scrub

#### **Description of Survey Methodology:**

The biologists conducted active and passive surveys within a survey buffer of 0.25 mile for white tailed kite, 500 feet for raptors, coastal California gnatcatcher, and least Bell's vireo, 250 feet for passerine birds in open space, and 150 feet for common passerines in residential, commercial and industrial areas. Active survey methods included walking meandering transects through the habitats while observing bird behavior with the aid of binoculars and directly searching in vegetation, the ground, the towers/poles, and other potential nest substrates. Passive survey methods included stationary observation periods from select vantage points that provided maximum visibility of the survey areas, using binoculars as necessary. If potential nesting behavior was observed within the survey buffers, specific shrubs were directly searched for nests in the areas where birds may have been observed exhibiting higher levels of activity or potential breeding behavior. All potential raptor nesting areas within the survey buffers were searched directly and/or with the aid of binoculars. Visibility, access, time of year and weather conditions were all conducive to collecting comprehensive breeding data, and ample time was spent surveying all potential nest sites.

ive to collecting comprehensive breeding data, and ample tin	ie was spent surveying	an potentiai
Suitable Raptor Nesting Habitat:	Yes: 🗵	No:



	GN Nesting Ha  V Nesting Habi	tat:	urvey Resul	Yes: ⊠ Yes: □	No:     No:	alk Biological, <sub>inc.</sub>	
Nest(s) Located (con (Include previously loc				Yes:	No: 🛛		
Nest ID <sup>1</sup>	Species <sup>2</sup>	Listing Status <sup>3</sup>	Nest Stage <sup>4</sup>	Observation Notes <sup>5</sup>	Latitude (decimal degrees)	Longitude (decimal degrees)	
1 – Date (mmddyyy)_Biologist Initials (ABC)_Number ID (01) 2 – Include common name and four letter AOU species code 3 – 3 – Federally Endangered (FE), Federally Threatened (FT), State Endangered (SE), State Threatened (ST), Species of Special Concern (SSC), Watch List (WL), Common 4 – Building, Incubating, Nestling, Fledged, Complete/Inactive 5 – Observation Notes: Item Carry (IC- nest material, food items, fecal sacs that indicate nesting in progress), Agitated/Territorial Behavior (ATB – indicating potential nest sites or an intent to nest), Courtship Behavior (CB – copulation, chasing flights, displays, etc.), Pair in Suitable Habitat (PSH – utilizing all or portions of the buffer zone), Other  Avian Species Observed (complete common name):							
Anna's hummingbird (ANHU), Allen's hummingbird (ALHU), ash throated flycatcher (ATFL), bushtit (BUSH), California gnatcatcher (CAGN), California towhee (CALT), California quail (CAQU), California scrub jay (CASJ), Cliff swallow (CLSW), common raven (CORA), European starling (EUST), hooded oriole (HOOR), house finch (HOFI), lesser goldfinch (LEGO), mourning dove (MODO), Northern mockingbird (NOMO), red-tailed hawk (RTHA), rufus crowned sparrow (RCSP), spotted towhee (SPTO), wrentit (WREN).							
Additional Notes (see Avian Species Observed and Observation Notes for definition of abbreviations):							
Nesting Rap Nesting Pas Nesting Pas	FKI within 0.25 ptor, CAGN, o sserine within 2 sserine within 1 l, residential an	r LBV within 250 feet (open 150 feet (resid	n space only)	Yes: ☐ Yes: ☐ Yes: ☐ Yes: ☐	No: 🖂 No: 🖂 No: 🖂 No: 🖂		

 $\underline{\textbf{Establishment of Nest Buffer and Justification:}}_{N/A}$