



PROFILE: BELL BLUFF TRUCK TRAIL
 SCALE:
 HORIZ: 1"=20'
 VERT: 1"=4'



MATCH LINE 105+00
SEE SHEET 20

MATCH LINE 110+00
SEE SHEET 22



CENTERLINE DATA TABLE

SYMBOL	DELTA/BEARING	RADIUS	LENGTH
CL71	55°26'27"	250.00'	241.91'

- NOTE:
1. LINES/CURVES SHOWN ON THE DATA TABLE ARE NOT BROKEN AT MATCH LINES. LENGTHS ARE COMPREHENSIVE.
 2. CONTRACTOR SHALL USE DEFLECTION COUPLINGS TO INSTALL THE 4" PVC DR14 C-900 WATER PIPELINE ALONG CURVES. ALLOWABLE LENGTHS OF PIPE SECTIONS THROUGH CURVES ARE 20', 10', OR 5'. WATERLINE IS 8.0 FEET LEFT OF CENTERLINE.
 3. TELECOMMUNICATION AND ELECTRICAL LINE PER SEPARATE PLAN.



REVISIONS

NO.	WORK DONE	DATE	BY	APP'D	NO.	WORK DONE	DATE	BY	APP'D	NO.	WORK DONE	DATE	BY	APP'D	NO.	WORK DONE	DATE	BY	APP'D	NO.	

SAN DIEGO GAS & ELECTRIC COMPANY
 SAN DIEGO, CALIFORNIA

SUNCREST SUBSTATION ACCESS ROAD
 PLAN & PROFILE

DRAWN BY: DHT DATE: 3/24/10 SCALE: 1"=20' W.D.: - REV.: 0
 CHECKED BY: PJC DATE: -
 APPROVED BY: CR DATE: - SHEET 21 OF 55
 CAD NO.: IPPVT21 PLOT SCALE: 1=1

SCR-C-221

N:\SDB\039600\CADD\USFS\CIVIL\IP-PVT\IPVT21

