Vegetation Community Codes Used in Figure A-4: Vegetation Communities

| General Habitat Type | Vegetation Code on Maps | Vegetation Community |
|--|-------------------------------|--|
| Disturbed or Developed Habitat | DIST | Disturbed Habitat |
| | DEV | Urban/Developed |
| | ORN | Ornamental |
| | ORV | Orchard/Vineyard |
| | IAG | Intensive Agriculture – Dairies, Nurseries, Chicken Ranches |
| | RC | Row Crops |
| | bCSS | Diegan Coastal Sage Scrub (burned) |
| | CSS | Diegan Coastal Sage Scrub |
| | CSS-ADO | Diegan Coastal Sage Scrub (Adolphia californica dominated) |
| | CSS-O | Diegan Coastal Sage Scrub (open) |
| | CSS-OPU | Diegan Coastal Sage Scrub (<i>Opuntia</i> or <i>Cylindropuntia</i> dominated) |
| | dCSS | Diegan Coastal Sage Scrub (disturbed) |
| | dCSS-O | Diegan Coastal Sage Scrub - (open, disturbed) |
| Scrub and Chaparral | rCSS | Diegan Coastal Sage Scrub (restored) |
| | CSS-BAC | Diegan Coastal Sage Scrub: Baccharis-dominated |
| | dCSS-BAC | Diegan Coastal Sage Scrub: Baccharis-dominated (disturbed) |
| | rCSS-BAC | Diegan Coastal Sage Scrub: Baccharis-dominated (restored) |
| | bM-CHAP | Southern Mixed Chaparral (burned) |
| | M-CHAP | Southern Mixed Chaparral |
| | rM-CHAP | Southern Mixed Chaparral (restored) |
| | C-CHAP | Chamise Chaparral |
| | CSS-CHAP | Coastal Sage-Chaparral Transition |
| | VNG | Valley Needlegrass Grassland |
| | NNG | Non-native Grassland (Annual Grassland) |
| Grasslands, Vernal Pools, Meadows, and Other Herb Communities | NNG-RUD | Non-native Grassland: Broadleaf-dominated |
| | VP | Vernal Pool |
| | dFWS | Freshwater Seep (disturbed) |
| | FWS | Freshwater Seep |

| General Habitat Type | Vegetation Code on Maps | Vegetation Community |
|------------------------------------|-------------------------------|--|
| Bog and Marsh | CAM | Cismontane Alkali Marsh |
| | FWM | Coastal and Valley Freshwater Marsh |
| | dFWM | Coastal and Valley Freshwater Marsh (disturbed) |
| | EW | Emergent Wetland |
| | dHW | Herbaceous Wetland (disturbed) |
| | HW | Herbaceous Wetland |
| Riparian and Bottomland Habitat | CLORF | Southern Coast Live Oak Riparian Forest |
| | dCLORF | Southern Coast Live Oak Riparian Forest (disturbed) |
| | dSCWRF | Southern Cottonwood-Willow Riparian Forest (disturbed) |
| | SCWRF | Southern Cottonwood-Willow Riparian Forest |
| | SRW | Southern Riparian Woodland |
| | dSWS | Southern Willow Scrub (disturbed) |
| | SWS | Southern Willow Scrub |
| | MFS | Mule Fat Scrub |
| | TAM | Tamarisk Scrub |
| | OW | Fresh Water (Open Water) |
| | CHAN | Non-Vegetated Floodplain or Channel |
| | NNR | Non-Native Riparian |
| | ARU | Arundo-Dominated Riparian |
| Woodland | bCLOW-O | Open Coast Live Oak Woodland (<50%) (burned) |
| | CLOW-O | Open Coast Live Oak Woodland (<50%) |
| | dCLOW-O | Open Coast Live Oak Woodland (<50%) (disturbed) |
| | CLOW-D | Dense Coast Live Oak Woodland (>50%) |
| | dCLOW-D | Dense Coast Live Oak Woodland (>50%) (disturbed) |
| | UOW | Undifferentiated Open Woodland |
| | bNNW | Non-Native Woodland (burned) |
| | NNW | Non-Native Woodland |
| | EUC | Eucalyptus Woodland |















































































































































