## TABLE 4.5-18PITTSBURG POWER PLANT TOXIC AIR CONTAMINANT EMISSIONS,1987, 1990, 1992, 1995

Pollutant	Emissions (pounds per year)				1995 Emissions <sup>a</sup> As Percent of:	
	1987	1990	1992	1995	County	Region
Arsenic	55	29	2		ND	ND
Benzene	630	220	180	240	0.06	0.008
Beryllium	12		0.03		ND	ND
Cadmium	45	3	0.28		ND	ND
Chromium (hexavalent)	< 1	3	0.21		ND	ND
Formaldehyde	1,200	13,000	11,000	14,000	1.1	0.2
Lead	81	68			ND	ND
Manganese	75				ND	ND
Mercury	9	73			ND	ND
Nickel	3,700	1,600	230		ND	ND
PAHs <sup>b</sup>	24		4		ND	ND
Zinc		450			ND	ND

<sup>a</sup> County-wide and regional totals used to calculate these percentages include both stationary and mobile sources. Stationary source emissions are from the 1996 BAAQMD source listed below. Toxic air contaminant emissions estimates for mobile sources were made using regional volatile organic compounds (VOC) emissions estimates and California Air Resources Board VOC speciation data.

b PAHs refers to polycyclic aromatic hydrocarbons.

NOTE: -- refers to emissions that were either zero or less than reportable quantities; ND = not determined.

SOURCES: Bay Area Air Quality Management District, Air Toxics Emission Inventory for the San Francisco Bay Area, Status Report, March 1989; Bay Area Air Quality Management District, Toxic Air Contaminant Control Program, Annual Report, 1991, August 1991; Bay Area Air Quality Management District, Toxic Air Contaminant Control Program, Annual Report, 1993, December 1993; Bay Area Air Quality Management District, Toxic Air Contaminant Control Program, Annual Report, 1995, November 1996.