

# TABLE OF CONTENTS

## CalAm Monterey Peninsula Water Supply Project Draft Environmental Impact Report

	<u>Page</u>
<b>List of Acronyms</b>	<b>xiii</b>
<b>Executive Summary</b>	<b>ES-1</b>
ES.1 Introduction	ES-1
ES.2 Project Background and Objectives	ES-1
ES.3 Description of Proposed Project	ES-5
ES.4 Proposed Project Impact Summary	ES-14
ES.5 Description of MPWSP Variant	ES-31
ES.6 MPWSP Variant Impact Summary	ES-32
ES.7 CEQA Alternatives	ES-79
ES.8 Issues to be Resolved and Areas of Controversy	ES-80
<b>1. Introduction</b>	<b>1-1</b>
1.1 Introduction	1-1
1.2 Project Setting and Background	1-2
1.3 Use of this Document	1-5
1.4 CEQA Process	1-7
<b>2. Water Demand, Supplies, and Water Rights</b>	<b>2-1</b>
2.1 Introduction	2-1
2.2 Background	2-2
2.3 CalAm Service Area Demand	2-7
2.4 Available Supplies	2-12
2.5 Plant Capacity	2-15
2.6 Other Supply and Demand Considerations	2-22
2.7 Water Rights	2-34
<b>3. Project Description</b>	<b>3-1</b>
3.1 Introduction	3-1
3.2 Overview of Existing Water System	3-4
3.3 Project Need and Objectives	3-11
3.4 Proposed Project Components	3-12
3.5 Project Construction	3-42
3.6 Project Operations and Maintenance	3-51
3.7 Permits, Approvals, and Regulatory Requirements	3-57
<b>4. Environmental Setting, Impacts, and Mitigation Measures</b>	<b>4-1</b>
4.1 Overview	4.1-1
4.2 Geology, Soils, and Seismicity	4.1-1
4.3 Surface Water Hydrology and Water Quality	4.2-1
4.4 Groundwater Resources	4.3-1
4.5 Marine Resources	4.4-1

	<u>Page</u>
4.6 Terrestrial Biological Resources	4.5-1
4.7 Hazards and Hazardous Materials	4.6-1
4.8 Land Use, Land Use Planning, and Recreation	4.7-1
4.9 Traffic and Transportation	4.8-1
4.10 Air Quality	4.9-1
4.11 Greenhouse Gas Emissions	4.10-1
4.12 Noise and Vibration	4.11-1
4.13 Public Services and Utilities	4.12-1
4.14 Aesthetic Resources	4.14-1
4.15 Cultural and Paleontological Resources	4.15-1
4.16 Agriculture and Forestry Resources	4.16-1
4.17 Mineral Resources	4.17-1
4.18 Energy Conservation	4.18-1
4.19 Population and Housing	4.19-1
<b>5. Cumulative Impacts</b>	<b>5-1</b>
5.1 Overview of Cumulative Impacts	5-1
5.2 Cumulative Impacts and Mitigation Measures	5-15
<b>6. MPWSP Variant</b>	<b>6-1</b>
6.1 Overview	6-1
6.2 Description of MPWSP Variant	6-3
6.3 MPWSP Variant Impact Analysis	6-34
6.4 MPWSP Variant Cumulative Impact Analysis	6-131
6.5 Additional Mitigation Measures for GWR Facilities	6-149
<b>7. Alternatives</b>	<b>7-1</b>
7.1 Introduction and Overview	7-2
7.2 Alternatives Analysis – CEQA and the CPUC Alternatives Decision-Making Process	7-3
7.3 Project Objectives and Significant Impacts	7-4
7.4 Alternatives Considered and Dismissed	7-6
7.5 Alternatives’ Analysis and Development Process	7-15
7.6 Screening of Component Options	7-17
7.7 Evaluation of Component Options	7-57
7.8 Conclusions for Intake, Outfall and Desalination Plant Options	7-85
7.9 Alternative Pipeline Alignments	7-86
7.10 Salinas Valley Return Options	7-176
7.11 Analysis of CEQA Superior Alternatives	7-181
7.12 Environmental Superior Alternatives	7-243
7.13 Impact Analysis for Test Slant Well at Potrero Road	7-246
<b>8. Growth-Inducement Potential and Secondary Effects of Growth</b>	<b>8-1</b>
8.1 Introduction	8-1
8.2 Growth-Inducement Potential	8-8
8.3 Impacts and Mitigation Measures: Secondary Effects of Growth	8-31
<b>9. CEQA Statutory Sections</b>	<b>9-1</b>
9.1 Significant Unavoidable Environmental Effects	9-1
9.2 Significant Irreversible Changes	9-1
<b>10. Report Preparers</b>	<b>10-1</b>

## Appendices

A	NOP and NOP Scoping Report
B1.	MPWSP Plant Sizing Data: Various Five- and Ten-Year Normal, Dry, and Maximum Month Demand Scenarios
B2.	State Water Board Final Analysis of the Monterey Peninsula Water Supply Project
C1.	Analysis of Historic and Future Coastal Erosion with Sea Level Rise
C2.	Coastal Water Elevations and Sea Level Rise Scenarios
C3.	Exploratory Borehole Results
D1.	Far-Field Analysis of Brine Discharge
D2.	Brine Discharge Diffuser Analysis
D3.	Water Quality Analysis of the Discharges
D4.	Ocean Plan Compliance Assessment
E1.	Test Slant Well Groundwater Modeling and Analysis - CEMEX Active Mining Area
E2.	Monterey Peninsula Water Supply Project Groundwater Modeling and Analysis
F.	Special-status Plant and Wildlife Species Considered
G.	Air Quality and Greenhouse Gas Emissions Calculations
H.	Pure Water Monterey Groundwater Replenishment Project, Project Description
I.	Component Screening Results
J1.	Coastal Water Project EIR Analysis: MPWMD 2006 Estimate of Long-Term Water Needs Compared with Growth Anticipated in Jurisdictions General Plans
J2.	Secondary Effects of Growth

Page

## List of Figures

3-1	CalAm Monterey Service Area	3-2
3-2	Project Overview and Index Map	3-5
3-3	Subsurface Slant Wells at CEMEX Active Mining Area	3-18
3-4	Proposed MPWSP Desalination Plant Site	3-21
3-5	MPWSP Desalination Plant Conceptual Site Plan	3-23
3-6	Proposed Conveyance Pipelines in Marina and Sand City	3-29
3-7	Existing and Proposed ASR Facilities	3-33
3-8	Proposed Conveyance Pipelines in Seaside	3-34
3-9	Monterey Pipeline (Western Terminus)	3-35
3-10	Interconnection Improvements for Highway 68 Satellite Water Systems	3-39
3-11	Cross-Sectional View of Subsurface Slant Well	3-45
4.2-1	Geologic Map of the Project Area	4.2-5
4.2-2	Generalized Geologic Cross-Section	4.2-7
4.2-3	Active and Potentially Active Regional Faults	4.2-15
4.2-4	Liquefaction Potential	4.2-24
4.2-5	Landslide Hazard Map	4.2-26
4.2-6	Representative Profile #4a at CEMEX	4.2-61
4.2-7	Representative Profile #4b at CEMEX	4.2-62
4.2-8	Representative Profile #6 at Del Monte Boulevard	4.2-65
4.3-1	Surface Water Resources in the Project Area	4.3-3
4.3-2	Flood Hazards in the Project Area	4.3-9
4.3-3	Areas Subject to Sea Level Rise in the Project Area	4.3-15
4.3-4	Illustrations of Trajectory and Behavior of a Plume Discharge	4.3-24

	<u>Page</u>
<b>List of Figures (cont.)</b>	
4.3-5 Extent of the Brine-only Plume Based on Average (Chronic) Salinity Levels Above Ambient	4.3-89
4.3-6 Extent of the Brine-only Plume Based on Peak (Acute) Salinity Levels Above Ambient	4.3-90
4.4-1 Groundwater Basins and Areas in the Western Salinas Valley Groundwater Basin	4.4-4
4.4-2 Conceptual Model of Coastal Aquifers	4.4-7
4.4-3 CEMEX Area Geologic Cross Section	4.4-9
4.4-4 Thickness of Salinas Valley Aquitard	4.4-10
4.4-5 Salinas Valley Groundwater Basin - Groundwater Elevations in 180-Foot-Aquifer	4.4-14
4.4-6 Salinas Valley Groundwater Basin - Groundwater Elevations in 400-Foot-Aquifer	4.4-15
4.4-7 Groundwater Flow – Seaside Basin Shallow Zone, July/August 2013	4.4-17
4.4-8 Groundwater Flow – Seaside Basin Deep Zone, July/August 2013	4.4-18
4.4-9 Historic Seawater Intrusion in the Salinas Valley Groundwater Basin - 180-Foot Aquifer	4.4-28
4.4-10 Historic Seawater Intrusion in the Salinas Valley Groundwater Basin - 400-Foot Aquifer	4.4-29
4.4-11 Monitoring Well Locations	4.4-41
4.4-12 Groundwater Model Boundaries	4.4-47
4.4-13 Change in Groundwater Elevations for Dune Sand Aquifer between Project and No Project	4.4-61
4.4-14 Change in Groundwater Elevations for 180-Foot Equivalent Aquifer between Project and No Project	4.4-62
4.4-15 Known Active Wells in the Dune Sand Aquifer, 180-Foot Equivalent Aquifer, or 400-Foot Aquifer within Two Miles of the Proposed Project	4.4-63
4.4-16 Particle Flow Map for the 180-Foot Equivalent Aquifer No Project vs. Project Scenarios	4.4-67
4.4-17 Particle Tracking Near Prunedale	4.4-73
4.4-18 Simulated Groundwater Elevation Changes at Former Fort Ord Plumes	4.4-83
4.5-1 Identified Seafloor Habitats in Study Area	4.5-3
4.6-1a Vegetation Communities and Potential Wetlands and Waters Within and Immediately Adjacent to the Project Area: Marina Area	4.6-6
4.6-1b Vegetation Communities and Potential Wetlands and Waters Within and Immediately Adjacent to the Project Area: Sand City North	4.6-7
4.6-1c Vegetation Communities and Potential Wetlands and Waters Within and Immediately Adjacent to the Project Area: Sand City Area	4.6-8
4.6-1d Vegetation Communities and Potential Wetlands and Waters Within and Immediately Adjacent to the Project Area: East Seaside Area	4.6-9
4.6-1e Vegetation Communities and Potential Wetlands and Waters Within and Immediately Adjacent to the Project Area: Seaside Area	4.6-10
4.6-1f Vegetation Communities and Potential Wetlands and Waters Within and Immediately Adjacent to the Project Area: Monterey East Area	4.6-11
4.6-1g Vegetation Communities and Potential Wetlands and Waters Within and Immediately Adjacent to the Project Area: Monterey Area	4.6-12
4.6-1h Vegetation Communities and Potential Wetlands and Waters Within and Immediately Adjacent to the Project Area: Monterey and Unincorporated Monterey County Area	4.6-13
4.6-2a CNDDDB Occurrence Records	4.6-24
4.6-2b CNDDDB Occurrence Records	4.6-25

	<u>Page</u>
<b>List of Figures (cont.)</b>	
4.6-2c	CNDDDB Occurrence Records 4.6-26
4.6-3	Designated Critical Habitat 4.6-49
4.7-1	Environmental Cases Near Project – Northern Portion 4.7-4
4.7-2	Environmental Cases Near Project – Southern Portion 4.7-5
4.8-1	Coastal Zone 4.8-7
4.8-2	Recreational Opportunities in the Northern Project Area 4.8-9
4.8-3	Recreational Opportunities in the Southern Project Area 4.8-10
4.12-1	Noise Monitoring Locations 4.12-9
4.14-1	Landscape Units and Scenic Roadways 4.14-5
4.14-2	Landscape Units of Northern Monterey Coastal Area 4.14-7
4.14-3a	Existing Setting 4.14-11
4.14-3b	Existing Setting 4.14-12
4.14-4	Existing Views of MPWSP Desalination Plant Site from Highway 1 4.14-41
4.14-5	Visual Simulation of Terminal Reservoir from General Jim Moore Boulevard
4.15-1	Geology and Archaeologically Sensitive Areas 4.15-9
4.15-2a	Historic Resources within the Monterey Pipeline APE 4.15-35
4.15-2b	Historic Resources in the Source Water Pipeline APE 4.15-36
4.16-1	Farmland Mapping Designations and Williamson Act Contracts 4.16-4
5-1	Cumulative Projects 5-11
5-2	Particle Flow Map for the 180-Foot Equivalent Aquifer No Project vs. Cumulative Project Scenarios 5-25
6-1	MPWS P Variant – Overview of Proposed Facilities 6-9
6-2	Changes in Groundwater Elevations in the Dune Sand Aquifer 6-117
6-3	Changes in Groundwater Elevations in the 180-Foot Equivalent Aquifer Project Variant – Scenario 5n 6-118
7-1	Desalination Component Options – Marina and Seaside 7-35
7-2	Desalination Component Options – Moss Landing 7-36
7-3	Proposed Pipeline and Alternative Pipelines 7-87
7-4	Alternative Source Water Pipeline and Alternative Desalinated Water Pipeline 7-93
7-5	Alternative Transmission Main 7-94
7-6	Alternative Pipelines South 7-97
7-7	Salinas Valley Return Flow Injection Options 7-177
7-8	Alternative 1 Potrero Road 7-201
7-9	Changes in Groundwater Elevations for Dune Sand Aquifer between Alternative 1 and No Project 7-202
7-10	Changes in Groundwater Elevation for 180-Foot Equivalent Aquifer between Alternative 1 and No Project 7-213
7-11	Particle Tracking near Potrero Road 7-217
7-12	Alternative 2 DeepWater Desal 7-223
7-13	Alternative 3 7-231
7-14	Alternative 3 – Changes in Groundwater Elevation for 180-Foot Aquifer between Alternative 3 and No Project 7-232
7-15	Alternative 3 – Changes in Groundwater Elevation for Dune Sand Aquifer between Alternative 3 and No Project 7-233
7-16	Alternative 3 – Particle Tracking near Potrero Road 7-237
7-17	Alternative 4 7-241

	<u>Page</u>	
<b>List of Tables</b>		
2-1	Seaside Groundwater Basin Adjudicated Operating and Natural Safe Yields with Calam's Pre-Adjudication Production	2-6
2-2	Existing Demand 2007-2011	2-7
2-3	Other Demand Assumptions	2-8
2-4	CalAm Monterey District Water Supplies with Proposed MPWSP	2-13
2-5	Average Daily Supply and Demand Assuming 9.6 MGD Desalination Plant, By Month	2-17
2-6	Maximum Month Demand	2-23
2-7	Existing Service Area Demand 2007-2013	2-24
2-8	Future Water Demand – Service Area Jurisdictions	2-30
2-9	Base and Future Water Use Assumed in 1981 Allocation	2-32
2-10	Allocation of Paralta Well Supply in CalAm Service Area	2-33
3-1	Future Water Supplies to Distribution System with Implementation of the Proposed Project	3-12
3-2	Facilities Summary – Proposed Project	3-14
3-3	Desalination Chemicals and Annual Usage – Proposed Project	3-27
3-4	Assumptions for Project Construction	3-43
3-5	Overview of Typical Facility Operations – Proposed Project	3-52
3-6	Typical Operations Based on Average Monthly Flows – Proposed Project	3-53
3-7	MPWSP Desalination Plant Operations – Normal Operations vs. Recovery Post 2-Day Shutdown	3-54
3-8	Anticipated Permits and Approvals – Proposed Project	3-58
4.2-1	Summary of Geologic Units and Project Component Locations	4.2-4
4.2-2	Modified Mercalli Intensity Scale	4.2-12
4.2-3	Active and Potentially Active Faults	4.2-14
4.2-4	Summary of Soil Properties	4.2-21
4.2-5	Summary of Estimated Peak Ground Accelerations at Proposed Non-Linear Facility Locations	4.2-22
4.2-6	Applicable State, Regional, and Local Plans and Policies Relevant to Geology, Soils, and Seismicity	4.2-33
4.2-7	Summary of Impacts – Geology, Soils, and Seismicity	4.2-49
4.3-1	303(d) List of Impaired Water Bodies in the Project Vicinity	4.3-14
4.3-2	Designated Beneficial Uses of Surface Water Bodies in the Project Vicinity	
4.3-3	Water Quality Objectives in the 2012 Ocean Plan	4.3-21
4.3-4	Water Quality in Monterey Bay	4.3-25
4.3-5	Overview of Post-Construction Requirements for Stormwater Management	
4.3-6	Applicable State, Regional, and Local Land Use Plans, Policies, and Regulations Pertaining to Surface Water Hydrology and Water Quality	4.3-39
4.3-7	Summary of Impacts – Surface Water Hydrology and Water Quality	4.3-55
4.3-8	Monthly Average Flows of Secondary-Treated Wastewater from the MRWPCA Regional Wastewater Treatment Plant (mgd) (1998-2012) and of the Estimated Brine Stream Under the MPWSP	4.3-65
4.3-9	Constituents that Would Exceed the Water Quality Objective Resulting from Discharges from the Proposed Project	4.3-73
4.3-10	Near-Field Scenarios Modeled for Salinity	4.3-81
4.3-11	Dilution and Horizontal Distance Estimated Under Near-field Analysis for Salinity	4.3-83
4.3-12	Salinity Levels from the Brine Discharge at the Edge of the ZID	4.3-84
4.3-13	Average Chronic and Acute Salinity Levels Estimated for the Brine Plume in the Far Field at a Depth of 98 feet	4.3-87

	<u>Page</u>
<b>List of Tables (cont.)</b>	
4.3-14 Salinity Levels and the Aerial Extend Estimated for the Brine Plume in the Far Field	4.3-88
4.4-1 Summarized Characteristics of Water Bearing Geologic Units	4.4-5
4.4-2 Water Balance of Salinas Valley Groundwater Basin	4.4-19
4.4-3 Summary of ASR Injection Volumes	4.4-21
4.4-4 Groundwater Extraction Summary for the Salinas and Seaside Groundwater Basins	4.4-21
4.4-5 Groundwater Quality at CEMEX Site	4.4-23
4.4-6 Water Chemistry Results of Mixing Study	4.4-25
4.4-7 Groundwater Quality Objectives	4.4-33
4.4-8 Policies Applicable State, Regional, and Local Plans and Polices Relevant to Groundwater Resources	4.4-36
4.4-9 Model Size Conpasrions	4.4-45
4.4-10 Correlation of Geologic Units, Aquifers, and Model Layers	4.4-46
4.4-11 Modeled Scenarios	4.4-51
4.4-12 Summary of Impacts – Groundwater Resources	4.4-55
4.4-13 Maximum Distance Inland from the Proposed Slant Wells with Water Level Decline of One Foot	4.4-59
4.4-14 Known Active Supply Wells Within Two Miles of the Slant Wells	4.4-60
4.4-15 Water Chemistry of Treated Carmel River Water and Sand City Desalinated Water	4.4-86
4.5-1 Special-Status Marine Species and Their Potential to Occur Within the Study Area	4.5-9
4.5-2 Fish Species Present in Monterey Bay Managed Under Magnuson-Stevens Act	4.5-13
4.5-3 Applicable Regional and Local Land Use Plans and Policies Relevant to Marine Biological Resources	4.5-23
4.5-4 Summary of Impacts – Marine Biological Resources	4.5-27
4.5-5 Potential Effects of Varying Noise Levels to Fish and Marine Mammals	4.5-30
4.5-6 Summary of Alternative Permanent Threshold Shift and Temporary Threshold Shift Sound Levels from Dual Acoustic Threshold Noise Levels from Marine Mammals	4.5-31
4.5-7 Swimming Speeds of Plankton, Invertebrates and Larval Fish	4.5-33
4.5-8 Summary of International Brine Limits	4.5-35
4.5-9 Results from Studies on the Effects of Elevated Salinity on Marine Organism	
4.5-10 Salinity and Temperature at the Depth of the MRWPCA Diffuser	4.5-40
4.5-11 Concentration of Un-Ionized Ammonia Allowed by Ocean Plan Objectives for Total Ammonia	4.5-41
4.6-1 Special-Status Species with the Potential to Occur at Project Facilities	4.6-53
4.6-2 Applicable State, Regional, and Local Land Use Plans and Policies Relevant to Terrestrial Biological Resources	4.6-71
4.6-3 Summary of Impacts – Terrestrial Biological Resources	4.6-100
4.6-4 Special-Status Species and Sensitive Natural Communities that Could Be Significantly Impacted During Construction of the Proposed Project Facilities	4.6-101
4.6-5 Burrowing Owl Burrow Buffers	4.6-133
4.6-6 Applicable Local Plans, Policies, and Ordinances Related to Tree Removal	
4.7-1 Open Environmental Cases Identified Within 0.25 Mile of the Project Area	
4.7-2 Schools in the Vicinity of Project Components	4.7-15

	<u>Page</u>	
<b>List of Tables (cont.)</b>		
4.7-3	Applicable State, Regional, and Local Plans and Polices Relevant to Hazards and Hazardous Materials	4.7-23
4.7-4	Summary of Hazards and Hazardous Materials Impacts	4.7-30
4.7-5	MPWSP Desalination Plant (9.6 mgd) - Water Treatment Chemicals	4.7-38
4.8-1	Overview of Designated Land Uses and Recreational Facilities within 0.25 Mile of the Proposed Facilities	4.8-3
4.8-2	Applicable State, Regional, and Local Land Use Plans and Policies Relevant to Land Use and Recreation	4.8-31
4.8-3	Summary of Impacts – Land use and Recreation	4.8-38
4.9-1	Characteristics of Roads that Could be Directly Affected by Project Construction Activities	4.9-3
4.9-2	Applicable State, Regional, and Local Land Use Plans and Policies Relevant to Traffic and Transportation	4.9-9
4.9-3	Summary of Impacts – Traffic and Transportation	4.9-15
4.9-4	Estimated Maximum Daily Vehicle Trips During Project Construction	4.9-17
4.10-1	Salinas #3 Monitoring Station – Ambient Air Quality Monitoring Summary (2009-2013)	4.10-4
4.10-2	State and Federal Ambient Air Quality Standards and Attainment Status for North Central Coast Air Basin	4.10-9
4.10-3	Applicable Regional and Local Land Use Plans, Policies, and Regulations Pertaining to Air Quality	4.10-13
4.10-4	Summary of Impacts – Air Quality	4.10-19
4.10-5	Estimated Maximum Daily Construction Emissions	4.10-20
4.10-6	Estimated Construction Emissions for Non-Typical Construction Equipment	
4.10-7	Proposed Project Operational Emissions	4.10-26
4.11-1	California GHG Emissions	4.11-3
4.11-2	Summary of Impacts – GHG Emissions	4.11-11
4.11-3	Total GHG Emissions from Project Construction	4.11-12
4.11-4	Total GHG Emissions from Project Operations	4.11-13
4.11-5	Total Amortized GHG Emissions	4.11-14
4.12-1	Short-term Noise Measurements for the Project Components	4.12-7
4.12-2	Long-term Noise Measurement – MPWSP Desalination Plant	4.12-8
4.12-3	Applicable State, Regional, and Local Land Use Plans and Policies Relevant to Noise and Vibration	4.12-15
4.12-4	Vibration Thresholds	4.12-26
4.12-5	Summary of Impacts – Noise and Vibration	4.12-27
4.12-6	Summary of Noise Levels at Sensitive Receptors During Construction	4.12-29
4.12-7	Maximum Construction Noise Levels – Subsurface Slant Wells	4.12-30
4.12-8	Maximum Construction Noise Levels – MPWSP Desalination Plant	4.12-31
4.12-9	Maximum Construction Noise Levels – Pipelines North of Reservation Road	
4.12-10	Maximum Construction Noise Levels – Transmission Main, Transfer Pipeline, and Monterey Pipeline	4.12-36
4.12-11	Maximum Construction Noise Levels – ASR Improvements and Terminal Reservoir	4.12-38
4.12-12	Maximum Construction Noise Levels – Valley Greens Pump Station and Interconnection Improvements With Highway 68 Satellite Water Systems	4.12-40
4.12-13	Maximum Operational Noise Levels – ASR-5 and ASR-6 Wells	4.12-63
4.12-14	Maximum Operational Noise Levels – Valley Greens Pump Station (Both Site Options)	4.12-64
4.12-15	Maximum Operational Noise Levels – Booster Stations (Main System– Hidden Hills Interconnection Improvements)	4.12-65



	<u>Page</u>
<b>List of Tables (cont.)</b>	
4.13-1 Project Components within Local Jurisdictions	4.13-2
4.13-2 Local Utility and Public Service Providers, by Jurisdiction	4.13-3
4.13-3 Schools in the Vicinity of Project Components	4.13-5
4.13-4 Applicable State, Regional, and Local Plans and Policies Relevant to Public Services and Utilities	4.13-11
4.13-5 Summary of Impacts – Public Services and Utilities	4.13-17
4.13-6 Brine Stream and Treated Wastewater Effluent Flows through the MRWPCA Outfall and Diffuser	4.13-26
4.14-1 Matrix for Ranking Aesthetic Resource Value	4.14-3
4.14-2 Applicable State, Regional, and Local Land Use Plans and Policies Relevant to Aesthetic Resources	4.14-23
4.14-3 Summary of Impacts – Aesthetic Resources	4.14-30
4.15-1 Damage Threshold to Historic Buildings from Construction Equipment	4.15-4
4.15-2 Criteria for Determining Paleontological Potential	4.15-6
4.15-3 Archaeological Resources Previously Identified in the ½-mile Records-Search Radius	4.15-28
4.15-4 Historic Architectural Resources in the MPWSP Direct and Indirect APE	
4.15-5 Applicable State, Regional, and Local Land Use Plans and Policies Relevant to Cultural and Paleontological Resources	4.15-47
4.15-6 Summary of Impacts – Cultural and Paleontological Resources	4.15-53
4.16-1 Monterey County Agricultural Land Summary and Conversion by FMMP Land Use Category (2006–2008)	4.16-3
4.16-2 Applicable State, Regional, and Local Plans and Policies Relevant to Agriculture and Forestry Resources	4.16-7
4.16-3 Summary of Impacts – Agriculture and Forestry Resources	4.16-10
4.17-1 Applicable State, Regional, and Local Plans and Policies Relevant to Mineral Resources	4.17-5
4.17-2 Summary of Impacts – Mineral Resources	4.17-7
4.18-1 PG&E's 2013 Electric Power Mix Delivered to Retail Customers	4.18-2
4.18-2 Applicable State, Regional, and Local Land Use Plans and Policies Relevant to Energy Conservation	4.18-7
4.18-3 Summary of Impacts – Energy Conservation	4.18-11
4.19-1 2010 Census Data and Estimated Labor Force for Potentially-Affected Jurisdictions	4.19-1
4.19-2 Summary of Impacts – Population and Housing	4.19-3
5-1 Cumulative Projects	5-4
5-2 Summary of Cumulative Impacts	5-13
5-3 Typical Construction Noise	5-48
6-1 Future Water Supplies for the Monterey District with Implementation of the MPWSP Variant	6-3
6-2 CalAm Facilities for the MPWSP Variant	6-5
6-3 GWR Facilities of the MPWSP Variant	6-13
6-4 Construction Assumptions for GWR Facilities	6-20
6-5 Typical Operations Based on Average Monthly Flows – MPWSP Variant	6-26
6-6 Anticipated Permits and Approvals – GWR Facilities	6-29
6-7 Comparison of the Environmental Effects of the Proposed Project vs. MPWSP Variant	6-35
6-8 Consistency with Applicable Land Use Plans, Policies, and Regulations – Proposed Project vs. MPWSP Variant	6-78

	<u>Page</u>	
<b>List of Tables (cont.)</b>		
6-9	Monthly Average Discharge Flows from the Proposed Desalination Plant and the GWR Project Under the MPWSP Variant, and Secondary-Treated Wastewater Flows from Existing MRWPCA Regional Wastewater Treatment Plant	6-88
6-10	Constituents that Would Exceed the Water Quality Objective Resulting from Discharges Under the MPWSP Variant	6-99
6-11	Near-Field Scenarios Modeled for Salinity (MPWSP Variant)	6-104
6-12	Dilution And Horizontal Distance Estimated Under Near-Field Analysis For Salinity	6-106
6-13	Salinity Levels from the Brine Discharge At The Edge of the ZID (MPWSP Variant)	6-109
6-14	Average Chronic and Acute Salinity Levels Estimated for the Brine-Only and Blended Discharge Plumes in the Far Field at a Depth of 98 Feet	6-112
6-15	Areal Extent of Brine-Only and Blended Discharge Plumes Based on Chronic And Peak Salinity Levels in the Far Field at a Depth of 98 Feet	6-112
6-16	Maximum Distance Inland from the Proposed Slant Wells With Water Level Decline of One Foot for Indicated Model Scenarios	6-115
6-17	Estimated Maximum Daily Construction PM10 Emissions or theMPWSP Variant	
6-18	Estimated Amortized Annual GHG Emissions for the MPWSP Variant	6-131
7-1	Results of Plan B Componet Screening	7-8
7-2	Preliminary Intake Options	7-30
7-3	Preliminary Outfall Options	7-45
7-4	Preliminary Site Options for Desalination Plant	7-55
7-5	Comparison of Environmental Effects – Preliminary Intake Options 2, 3, 4, 6, 8, 9 and 13	7-59
7-6	Comparison of Environmental Effects – Preliminary Outfall Options 1, 2, 3, 4, 5, 6, and 7	7-69
7-7	Comparison of Environmental Effects – Desalination Plant Site Options	7-77
7-8	Alternative Pipeline Aligements	7-90
7-9	Comparison of Environmental Effects – Alternative Source Water Pipeline Route	7-101
7-10	Comparison of Environmental Effects – Alternative Desalinated Water Pipeline route	7-115
7-11	Comparison of Environmental Effects – Alternative Transmission Main Pipeline route	7-130
7-12	Comparison of Environmental Effects – Alternative Transfer Pipeline Route	7-145
7-13	Comparison of Environmental Effects – Alternative Monterey Pipeline Route	7-160
7-14	Summary of Existing CalAm Water Conservation Programs	7-187
7-15	Maximum Distance Inland from the Proposed Slant Wells with Water Level Decline of One Foot	7-212
7-16	Maximum Distance Inland from the Proposed Slant Wells With Water Level Decline of One Foot	7-235
7-17	Environmental Resource Impact Subsections	7-250
8-1	Project Demand Assumptions	8-8
8-2	Monterey District Commercial Sector Water Consumption: Water Years 2003 through 2012	8-10
8-3	Supply Assumptions: Water Potentially Available for Growth	8-13
8-4	Range of Flow Volumes Accommodated by Pipeline Segment	8-15
8-5	Service Area Growth Trends 1990-2010 Population and Housing	8-17
8-6	AMBAG Population, Housing, and Employment Projections	8-19

---

	<u>Page</u>
<b>List of Tables (cont.)</b>	
8-7 Future Water Demand and Proposed Supply	8-31
8-8 Significant Impacts Associated with Planned Growth in the Project Area	8-33
8-9 Agencies with the Authority to Implement or Require Implementation of Measures to Avoid or Mitigate Growth-Related Impacts	8-36

This page intentionally left blank