Comment Set D.25: Mark Pickering



CALIFORNIA PUBLIC UTILITIES COMMISSION Public Meeting Comments

Proposed Antelope-Pardee 500-kV Transmission Project

Date: 9/05/06	
Name*: Mark Pickering	
Affiliation (<i>If any</i>):*	
Address:* 35740 Brian Ave	
City, State, ZIp Code:* Agua Dulce, CA 91390	
Telephone Number:* 661 268 - 1046	
Email: * Comac guy@ Cwave isp. ne +	
I would like to Strongly Protest the Alternate Router #5 Proposal which negatively impacts hundreds of Private Land Owners T live aprix. 1/2 mile from	
anthony Rd. Where the Protect is Proposed. I am a degreed Environmental Geologist and I find it	D.25-1
absurd and unbelievable that any "Educated", Rational intelligent Professional Could possibly come to the Conclusion that the alt. Route 5 is Prefered, as it was in the	2.20 1
Studies. Their conclusions were obviously influenced by Us Forest Service Interests. I also find it	
Accidence that No Trivate land owners were notition as Soon as this alternate Route 5 was Proposed. Human Impact does not seem as Significant and Important as "Critters" to Environmentalists and to the US Forest Service. The Opposite is the Case for Me. *Please print. Your name, address, and comments become public information and may be released to interested parties if requested.	D.25-2
Please either deposit this sheet at the sign-in table before you leave today, or fold, stamp, and mail. Insert additional sheets if needed. Comments must be postmarked by September 18, 2006. Comments may also be faxed to the project hotline at (661) 215-5152 or emailed to antelope-pardee@aspeneg.com.	

10.9

1190892199

MH 64:70 6002-01-43

Final EIR/EIS Ap.8D-63 December 2006

Response to Comment Set D.25: Mark Pickering

- D.25-1 Thank you for your comment. For results of the biological resources, forest management, and visual resources impact analyses that were conducted for the proposed Project and alternative routes, please see the Draft EIR/EIS Sections C.3, C.7, and C.15, respectively.
- D.25-2 Please see General Response GR-5 regarding the noticing procedures for the EIR/EIS.