Comment Set D.51: Jeff Wright

CALIFORNIA PUBLIC UTILITIES COMMISSION Public Meeting Comments Proposed Antelope-Pardee 500-kV Transmission Project		
Date: 9/10/0(r		neceiven
Name*:Jev	re weight	SEP 1 5 2006
Affiliation (<i>if any</i>):*		BY:
Address:* 39662	86th W LI	
City, State, Zip Code:* LEONA VALLEY, CA 93551		
Telephone Number:* 818 - 519 - 9350		
Email:* _ CRESTAS @ ADEZPHIA . NET		
SEGMENT 1, ALT 5 IS AN EXNEMELT INDGICAL OPTION TO THE ORIGINAL PROPOSAL AND OTTOR OPTIONS, IT WILL		
CAUSE THE ABUSIVE AND UNNECESSARY USE OF EMINENT DOMAIN		
	G-STANDING HOME AND POOL	
PROPORTIES ARFECTED ARE NOT LOW-VALUE, COOKIE-CUTTER		
HOMES/PROPERINES, BUT RATTHER EXPENSIVE, UNIQUE PARCERS OF HORSE. PROPERTY LAND THAT ARE UNLIKE MOST OTHERS		
IN THE ANTEROPE VALLEY, KEEPING WITH THE ORIGINAL D.51		
PROPOSAL, WHICH USES AN EXISTING EASEMENT THROUGH NATIONA		
FOREST LAND, WILL NOT IMPACT THE LIVES AND HOMES OF		
EXISTING HOMEDOWNERS, ALTERNATIVE 5 WILL COST DISPLACES		
HOME AND PROPERTY OWNERS UPWARDS OF 100 MILLION DOLLARS		
USE LOGIC INSTEAD OF A FODERALLY MANDATED REPUIREMENT		
TO RULE YOUR DESISION, GO WITH THE ORIGINAL PROPOSAL		
AND/WE ANY ALTORNATIVE BUT # 5.		
*Please print. Your name, address, and con	mments become public information and may be released t	o interested parties if requested.
Please either deposit this sheet at the sign-in table before you leave today, or fold, stamp, and mail. Insert		

Please either deposit this sheet at the sign-in table before you leave today, or fold, stamp, and mail. Insert additional sheets if needed. Comments must be postmarked by September 18, 2006. Comments may also be faxed to the project hotline at (661) 215-5152 or emailed to antelope-pardee@aspeneg.com.

Response to Comment Set D.51: Jeff Wright

D.51-1 As discussed in Section C.9.10.2, the alternative alignment would be constructed across approximately 103 privately owned parcels. The majority of land uses that would be restricted as a result of Alternative 5 would be the erection of new structures within the alternative ROW. However, given that SCE has not conducted any engineering design or routing studies for Alternative 5, the EIR/EIS has assumed that the removal of one or more homes could occur. As such, Section C.9.10.2 (Impact L-3) concluded that potential impacts to residential land uses as a result of Alternative 5 would be significant.

Please see General Response GR-1 regarding potential effects on property values, and General Response GR-2 regarding property acquisition.