## J. Glossary

**100-Year Flood** – A stream flow caused by a discharge that is exceeded, on the average, only once in 100 years. A 100-year flood has a 1percent chance of occurrence in any given year.

**AAC** – All-aluminum conductor.

**AADT** – Annual average daily traffic.

**AAQS** – Ambient Air Quality Standard; a federal and state measure of the level of air contamination that is not to be exceeded in order to protect human health.

**AC** – Alternating current.

**ACE** – Assessment of Chemical Exposure.

**ACHP** – U.S. Advisory Council on Historic Preservation.

**Acre-foot** – A unit of measure for water demand and supply. The volume of 1 acre-foot would cover 1 acre to a depth of 1 foot and is equal to 325,851 gallons.

ACSR - Aluminum Conductor, Steel Reinforced.

**ADT** – Average Daily Trips; number of vehicles traveling per normal day on a roadway.

**Aerosol** – Wet or dry small particles in the atmosphere. Also called "particulate matter."

**Aggradation (of a stream channel bed)** – Raising of stream bed elevation, caused by sediment supply in excess of sediment-transport capacity.

AHM - Acutely hazardous material.

**Air Quality Standard** – The specified average concentration of an air pollutant in ambient air during a specified time period, at or above which level the public health may be at risk; equivalent to AAQS.

**Algae** – A collective term for several taxonomic groups of primitive chlorophyll-bearing plants which are widely distributed in fresh and salt water and moist lands. This term includes the seaweeds, kelps, diatoms, pond scums, and stoneworts.

**Alternating Current** – An electric current that reverses direction in a circuit at regular intervals.

Ambient - Surrounding on all sides.

**Ambient Air** – Any unconfined portion of the atmosphere; the outside air.

**ANL - Ambient Noise Level –** Noise from all sources, near and far. ANL constitutes the normal or existing level of environmental noise at a given location.

ANSI - American National Standards Institute.

**APCD** – Air Pollution Control District; a regional government bureau responsible for attainment and management of air quality standards through permitting and regulating of the emission sources.

**AP or APEFZ** – Alquist-Priolo Earthquake Fault Zone.

**APM** – Applicant-Proposed Measure.

**APN** – Assessor Parcel Number, given to a parcel, or a specified area, of land by County tax assessors.

Applicant - Southern California Edison Company (SCE).

**AQMP** -Air Quality Management Plan, which outlines rules and regulations for improving and maintaining the quality of air in the region.

ARB - Air Resources Board.

**ASL** or asl – Above sea level.

**ASME** - American Society of Mechanical Engineers.

**ASTM** – American Society for Testing Materials.

**ATC** – Authority to Construct. A permit required by local air quality regulatory agencies before construction of a major emission source is started.

**Atmospheric Stability** – The resistance to or enhancement of vertical and horizontal air movement, which regulates the amount of air exchange and affects pollution concentration or dispersion.

**Average** – As a measure, the sum of the measurements (over a specified period) divided by the number of measurements.

Avifauna – Birds.

**A-Weighting** – A frequency measure of noise which simulates human perception.

**B.P.** – Before Present.

**Backfill** – Earth that is replaced after a construction excavation.

**Backhoe** – A self propelled machine with an arm equipped with a toothed shovel that scoops earth as the shovel is pulled toward the machine.

**BACT** – Best Available Control Technology – The most improved devices or air emission reduction technology currently available for controlling pollutant emissions.

**Baseline** – A set of existing conditions against which change is to be described and measured.

**Berm** – A narrow shelf, path, or ledge typically at the top or bottom of a slope; also, an earthen, mounded wall.

**Bgs** – Below ground surface.

**Bioregion** - Area where species turnover and habitat zone transitions are pronounced in relation to changes in landform and other environmental features.

**Biota** – Living organisms.

**BMP** – Best Management Practice.

**Brackish** – Pertaining to water, generally estuarine, in which the salinity ranges from 0.5 to 17 parts per thousand by weight.

BSU - Beaumont Groundwater Storage Unit.

**Btu** – British thermal unit, a measurement of energy, the amount of energy that can be obtained as heat by combusting approximately 1/1000 cubic feet of natural gas.

CAAQS - California Ambient Air Quality Standard; see AAQS.

**CAISO** – California Independent System Operator.

CalARP - California Accidental Release Prevention (Program).

**Cal-EPA** – California Environmental Protection Agency.

Cal/OSHA - California Occupational Safety and Health Administration.

Caltrans - California Department of Transportation.

CAPCOA - California Air Pollution Control Officers Association.

**CARB** - California Air Resources Board, sometimes abbreviated as ARB.

**Cathodic Protection** – An anticorrosion technique for metal installations; pipelines, tanks, and buildings in which weak electric currents are established to offset the current associated with metal corrosion.

**Cathodic Protection Rectifier** – The rectifier converts alternating current power supply into direct current output. This output is connected to a buried anode which produces an electrical current through the soil and into the pipeline, which is thus placed under cathodic protection.

**CBC** – California Building Code.

CCAA - California Clean Air Act.

**CCD** - Census County Division.

**CCR** – California Code of Regulations.

**CDF** – California Department of Forestry and Fire Prevention.

**CDFG** - California Department of Fish and Game.

**CDMG** – California Division of Mines and Geology.

**CDOC** – California Department of Conservation.

**CDOG** – California Division of Oil and Gas.

**CEC** – California Energy Commission.

**CEE** – Customer Energy Efficiency.

**CEERT** - Center for Energy Efficiency and Renewable Technologies.

CEQA - California Environmental Quality Act.

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act ("Superfund").

CFE - Comisión Federal de Electricidad.

**cfm** – Cubic feet per minute.

**CFR** – U.S. Code of Federal Regulations.

**cfs** – cubic feet per second.

**Channel Lining** – Artificial hardening of the sides and/or bed of a stream channel to prevent erosion. Concrete, soil cement, and rock riprap are typical channel linings.

CHP - California Highway Patrol.

**CHSC** – California Health and Safety Code.

**Circuit** – An electrical device that provides a path for electric current to flow.

Class I – Significant impact; cannot be mitigated to a level that is not significant.

Class II – Significant impact; can be mitigated to a level that is not significant.

Class III - Adverse impact, but not significant.

Class IV - Beneficial impact.

**CLCA** - California Land Conservation Act of 1965 (see Williamson Act).

**CNDDB** – California Natural Diversity Database.

**CNEL** – Community Noise Equivalent Level; the averaging of noise levels on a measurement scale of decibels that increases the actual noise measurement, to account for an increased sensitivity to noise during late evening, nighttime, and morning hours (the increments are 5 dB from 7 to 10 p.m. and 10 dB from 10 p.m. to 7 a.m.).

**CNPS** – California Native Plant Society.

**CO** – Carbon monoxide; a colorless, odorless, toxic gas produced by incomplete combustion of carbon in fossil fuels.

CO<sub>2</sub> – Carbon dioxide. A colorless, odorless gas produced when any carbon-based fuel is burned. Also produced via animal respiration.

**COD** - Chemical Oxygen Demand; the free oxygen-removing (combining) capability of chemical substances in liquid.

**COE** – Corps of Engineers, U.S. Army (see also USACE).

**Concentration** – The relative content of a component (as dissolved or dispersed material) and measured by weight or volume of material per unit of volume of the medium.

Concentration, Average - The average of a series of measurements of concentration.

Concentration, Maximum - The highest individual or average measurement of concentration.

**Conductor** – A substance or medium, such as a wire, that conducts electric charge.

**Control Area** – A portion of the interconnected electricity system grid whose operations and procedures are controlled and managed by a single utility. This utility typically owns most of the facilities in its control area and is responsible for the physical interaction with neighboring control areas.

**Control Panel** – An assembly of indicators and recording instrument; pressure gauges, warning lamps, and other visual or audible signals for monitoring and controlling a system.

**Corrosivity** – Is an estimate of the potential for soil-induced chemical action that dissolves or weakens uncoated shell.

**CPCN** – Certificate of Public Convenience and Necessity.

CPUC - California Public Utilities Commission.

**CRBRWQCB** - Colorado River Basin Regional Water Quality Control Board.

**CRC** – Certificate of Right-of-Way Compatibility.

**CRHR** – California Register of Historical Resources.

**CRMP** – Cultural Resource Management Plan.

**CRNR** - California Regulatory Notice Register.

**CSC** – California Species of Concern.

**CSLC** – State Lands Commission; the California agency that manages state-owned lands, such as the zone between mean high tide and the land lying offshore within the three-mile limit.

CSSA - Criteria Species Survey Area (under Western Riverside County MSHCP).

**Cultural Resource** – Places or objects important for scientific, historical, and religious reasons to cultures, communities, and individuals.

**Current** – The amount of electric charge flowing past a specified point per unit time.

**CWA** – Clean Water Act.

Cyclonic – A large air mass circulating counterclockwise, in northern hemisphere.

dB - Decibels.

**dBA** – The A-weighted decibel scale representing the relative insensitivity of the human ear to low-pitched sounds; decibels are logarithmic units that compare the wide range of sound intensives to which the human ear is sensitive.

**DC** – Direct current.

**Dead-End Towers** – The structures at the termination point of a transmission line, or at the overhead/underground transition point.

**Decibel (Db)** – A logarithmic unit which measures the pressure levels of sounds.

**Definitive Plan** – Transmission facilities specified in sufficient detail to be approved by regulatory agencies for ratemaking and construction.

**DEIR** – Draft Environmental Impact Report (see EIR).

**DES** – Department of Economic Security.

**Diffusion Model** – A model, calculated by formula, graphs, or computer, that estimates the dilution of an air pollutant as it is carried downwind. The models are based on physical principles with various simplifications to aid solvability.

**Direct Current** – An electrical current flowing in one direction only.

**DOC** – United States Department of Commerce.

**DOD** – United States Department of Defense.

**DOT** – U.S. Department of Transportation.

**DRA** – (CPUC's) Division of Ratepayer Advocates; previously Office of Ratepayer Advocates (ORA).

**DSM** – Demand-Side Management, for example, home insulation, energy efficient appliances, etc.

**DWR** - California Department of Water Resources.

ECP - Erosion Control Plan.

**EDD** – (California) Employment Development Department.

**EHV** – Extra-high voltage.

**EIR** – Environmental Impact Report; an environmental impact assessment document prepared in accordance with the California Environmental Quality Act (CEQA).

**ELF** – Extremely Low Frequency.

**EMF** – Electric and Magnetic Fields.

**Emission** – Unwanted substances released by human activity into air or water.

**Emission Control Device** – Any piece of equipment that reduces the release of any air pollutant into the atmosphere; see BACT.

Emission Limit – A regulatory standard that restricts the discharge of an air pollutant into atmosphere.

**Emission, Primary** – An emission that is treated as inert (non-reactive).

Emission, Secondary – Unwanted substances that are chemical byproducts of reactive primary emissions.

**EPA** – U.S. Environmental Protection Agency; a federal agency that works to protect the environment.

**Ephemeral Stream** – A stream or reach of a channel that flows only in direct response to precipitation in the immediate locality and is at all times above the saturation zone.

**EPRI** – Electric Power Research Institute.

**EQAP** – Environmental Quality Assurance Program; a generic term for mitigation monitoring.

**ESA** – Environmental Site Assessment.

**ESH** – Environmentally Sensitive Habitat; an area designated by governmental agencies as requiring special administration or protection.

**Estuary** – A widening area at the seaward end of a river where its current is met and influenced by ocean tides.

**Ethnohistoric information** – Data collected during historic times, for instance, that from the Spanish mission registers.

**Export Capability** – The capacity or extent to which a utility or electric control area can sell electric power outside its electric system at a given time or during a given set of conditions using all available facilities.

**FAA** – Federal Aviation Administration.

**Fault** – A fracture or zone of fractures in rock strata which have undergone movement that displaces the sides relative to each other, usually in a direction parallel to the fracture. Abrupt movement on faults is a cause of most earthquakes.

**FCC** – Federal Communication Commission.

**FEIR** – Final Environmental Impact Report. The Final EIR includes all comments made to the Draft EIR as well as the responses of the Lead Agency to those comments and is submitted to the state government and the public for review of a proposed project.

**FEMA** – Federal Emergency Management Agency.

FERC - Federal Energy Regulatory Commission.

**Firm Purchases** – Contractual procurement of electric energy which is intended to have assured availability to the customer.

**Flora** – Plants or plant life.

**FMMP** – Farmland Mapping and Monitoring Program.

**FPPA** – Farmland Protection Policy Act.

**FRA** – Federal Railway Administration.

**FS** – Facilities Study.

**FTE** – Full-time equivalent.

**Fugitive Dust** – Pulverized soil particles that are introduced into the air through activities such as soil cultivation or vehicles operating on dirt roadways.

g – (a) gram; (b) gravities, a unit of acceleration equal to that produced on free falling bodies at the earth's equator.

**General Scour** – Degradation of a channel bed as a result of imbalance of channel sediment-transport capacity and supply during a single stream flow.

**Generation** – The production of electricity from other forms of energy such as combustion, falling water or thermal transfer.

**Generation Capacity** – Maximum electric production limit for which a generator is rated. The maximum limit fluctuates with changes in temperature or other environmental circumstances, depending on the type of machine.

**Gen-Tie** – Transmission line connecting a generator to the electric grid.

**GIS** – Geographic Information System.

**GO** – General Order (CPUC).

gpd - Gallons per day; a measure of flow rate.

**GPS** – Global positioning system.

**gWh** – Gigawatt-hour; a measure of electric energy. One million kilowatt-hours.

**Hazard Index** – The estimated exposure to a given substance being discharged from a facility divided by the acceptable exposure level for that substance summed over all pollutants.

**HC** – Hydrocarbons; a mixture of hydrocarbon compounds usually referred to in the vapor state.

**HDD** – Horizontal Directional Drilling.

Herpetofauna – Biological term for reptiles and amphibians.

**Herpetologist** – Person who studies reptiles and amphibians.

**Hertz** – A unit of frequency equal to one cycle per second.

**HF** – High frequency.

**High Flow** – High volumes of water, as into an estuary, produced by copious runoff after period of heavy rainfall.

**HMA** – Housing Market Area; see Socioeconomics.

HMMP - Hazardous Materials Management Plan.

**Horsepower** – A unit of power equivalent to 33,000 foot-pounds per minute or 745.7 watts of electricity.

**HOV** – High-occupancy vehicle.

**HPMP** – Historic Properties Management Plan.

**Hydrocarbons, Nonmethane** – Mixture or concentration of hydrocarbons with the methane fraction ignored. One of many formulations for reactive hydrocarbons.

**Hydrocarbons, Reactive** – Mixture or concentration of hydrocarbons with fraction assumed to be non-reactive removed from consideration. See VOC.

**Hydrologic Cycle** – The continuous exchange of water between atmosphere, land, surface and subsurface waters, and organisms.

Hz - Hertz; a measure of frequency in cycles per second.

**I-10** – Interstate 10.

**IARC** – Internation Agency for Research on Cancer.

**IEEE** – Institute of Electrical and Electronic Engineers.

**IIPP** – Injury and Illness Prevention Program.

**Import Capability** – The capacity or extent to which a utility or electric control area can purchase electric power from outside its electric system at a given time or during a given set of conditions using all available facilities.

**Imports** – The purchase of electricity by a utility from another utility outside its electric system.

**INIRC** – International Non-Ionizing Radiation Committee.

**Insulator** – A material such as glass or porcelain with negligible electrical or thermal conductivity.

**Inventory, Emission** – A list of daily or annual emissions, listed by pollution source category (e.g., trains, refineries, agriculture, etc.).

**Inversion** – A layer of air in the atmosphere in which the temperature increases with altitude at a rate greater than normal (adiabatic). Pollutants tend to be trapped below the inversion.

**Invertebrate** – Animals that lack a spinal column.

**IOU** – Investor Owned Utility.

**IPPs** – Independent Power Producers.

IRPA - International Radiation Protection Association.

**ISCST** – Industrial Source Complex (short term); an EPA-approved computer air quality module.

**ISO** – Independent System Operator.

**Isobath** – Contour line that is at equal depth along its length.

kcmil - Thousand circular mils; refers to conductor size.

**KGRA** – Known Geothermal Resource Area.

km<sup>2</sup> – Square kilometer.

**KOP** – Key Observation Point; see KVP.

**kV** - Kilovolt. A measure of electric voltage, one thousand volts.

**kV/cm** – Kilovolts per centimeter.

**kV/m** – Kilovolts per meter.

**KVP** – Key viewpoint One or a series of points on a travel route or at a use area where the view of the Proposed Project would be most revealing..

kWh - Kilowatt-hour.

L10 – An average of noise levels that are exceeded 10 percent of the time during the measurement period.

**LADWP** – Los Angeles Department of Water and Power.

**Lateral Erosion** – Horizontal movement of a channel bank, or channel widening, caused by water transport of bank material.

lbs/day - Pounds per day.

**Ldn** – The average ambient noise level in dBA with levels between 10 p.m. and 7 a.m. increased by 10 dBA.

**Lead Agency** – The agency responsible for preparation of the CEQA document. For the proposed El Casco System Project, the CPUC is the Lead Agency.

Leq - Average level of sound determined over a specific period of time.

**LFZ** – Likely Fault Zone.

**Liquefaction** – The process of making or becoming liquid (soils).

LIRP - Local Integrated Resource Plan.

Lmax - Maximum level of noise.

Load Centers - Major areas of electricity consumption such as large cities or large industrial facilities.

**Local Scour** – Lowering of a channel bed as a result of a local disturbance to flow, such as bridge piers, a sudden drop or a sharp channel bend.

**LOS** – Level of Service; a measure of roadway congestion, ranging from A (free-flowing) to F (highly congested).

**Low Flow** – Low rate of water flow due to scant rainfall and low runoff.

**Low-Flow Incisement** – Formation of a local, small channel inside a larger stream channel as a result of low-discharge flows.

LST - Lattice steel tower.

LTPP - Long Term Procurement Plan.

**LUST** – Leaking underground storage tank.

**LWS** – Lightweight steel (pole).

m – Meter, length equal to 39.37 inches.

Macroalgae - Large algae, such as kelp, as distinguished from microscopic algae.

**Macroinvertebrate** – Pertaining to invertebrates that are visible to the naked eye.

**MBTA** – Migratory Bird Treaty Act.

MCE - Maximum Considered Earthquake.

**Median** – The mid-value in a series of values, with half having greater value and half lower value. To be distinguished from "average."

**MEI** – Maximum Exposed Individual; see Air Quality.

**MEER** – Mechanical Electrical Equipment Room.

MFP - Management Framework Plan.

**mG** – Milligauss. A measure of magnetic field strength.

**MGD** – Million gallons per day.

**Microclimate** – Distinctive climate within a small geographic area.

**Micron** – One millionth of a meter.

**Microwave** – Radio communications which are of sufficiently short wavelength (or high frequency) as to be focused on a line-of-sight between sending and receiving equipment. These radio signals carry information for control purposes.

Milligauss (mG) – Measurement of magnetic field strength.

**Mixing Height** – The distance from the ground to a daytime (temperature) inversion layer.

**MMCRP** – Mitigation, Monitoring, Compliance, and Reporting Program.

**MMI** – Modified Mercalli Intensity (scale); subjective numerical index describing the severity of an earthquake in terms of its observed effects on humans, man-made structures, and the earth's surface.

**Monitoring Station** – A mobile or fixed site equipped to measure instantaneous or average ambient air pollutant concentrations.

MP - Milepost.

MPA - Municipal Planning Area.

MSDS - Material Safety Data Sheet.

MSHCP - Multiple Species Habitat Conservation Plan.

**Multipathway Pollutants** – Pollutants that pose a risk to public health through individual inhalation, ingestion (from food, water, or soil) or dermal absorption.

**MVA** – Megavolt-amperes, is defined as the apparent power of the line. MVA is composed of both real power (measured in megawatts or MW) and reactive power (measured in megavoltamperes reactive or MVAR). The cable circuit rating (expressed in MVA) is the apparent power rating.

**MVAR** – Megavolt-amperes reactive.

**MW** – Megawatt; a measure of electric power equal to 1,000 kilowatts or 1,000,000 watts.

Mw - Moment magnitude; measurement by which earthquakes are measured.

MWD - Metropolitan Water District.

N<sub>2</sub> – Nitrogen gas.

**NAAQS** – National Ambient Air Quality Standards; see AAQS.

**NACE** – National Association of Civil Engineers.

NAHC - Native American Heritage Commission.

**Native Generation** – Electricity generation within a utilities service area.

**NEC** - National Electric Code.

**NEPS** – Narrow Endemic Plant Species.

**NEPSSA** – Narrow Endemic Plant Species Survey Area.

NERC - North American Electricity Reliability Council.

NESC - National Electrical Safety Code.

**NHPA** – National Historic Preservation Act.

**NIEHS** - National Institute of Environmental Health Sciences.

Nitrogen Oxides – A gaseous mixture of nitric oxide (NO) and nitrogen dioxide (NO<sub>2</sub>) and symbolically represented as NO<sub>3</sub>.

**NO** – Nitric oxide. A molecule of one nitrogen and one oxygen atom. Usually results from combustion of organic substances containing nitrogen and from recombination of nitrogen decomposed in air during high-temperature combustion.

NO<sub>2</sub> – Nitrogen dioxide. A molecule of one nitrogen and two oxygen atoms. Results usually from further oxidation of nitric oxide (NO) in the atmosphere. Ozone accelerates the conversion.

**NOC** – Notice of Completion. A document that briefly identifies a project and indicates that an EIR has been prepared.

**NOD** – Notice of Determination. A document prepared by the Lead Agency that states that an EIR was prepared and certified or adopted pursuant to CEQA.

**Noise Level, Median** – The level of noise exceeded 50 percent of the time. Usually specified as either the daytime or the nighttime median noise level. Also given the designation  $L_{50}$ .

Non-Firm Purchases – Electric energy purchases having limited or no assured availability.

**Non-Utility Owned Generation** – Generation which is possessed by a entity not in the business for the sale of electricity at retail.

**NOP** – Notice of Preparation.

NOx – Oxides of nitrogen. Poisonous and highly reactive gases produced when fuel is burned at high temperatures, causing nitrogen in the air to combine with oxygen.

**NPDES** – National Pollutant Discharge Elimination System.

NPPA - Native Plant Protection Act.

NRC - United States Nuclear Regulatory Commission.

**NRHP** – National Register of Historic Places.

**NSR** – New Source Review; see Air Quality.

O<sub>3</sub> - See Ozone.

**OES** – Office of Emergency Services.

**OHL** - Overhead line.

**OHP** - Office of Historic Preservation.

**OHV** - Off-highway vehicle.

**OPGW** - Optical ground wire.

**ORV** - Off-road vehicle.

**OSHA** – U.S. Occupational Safety and Health Administration, a federal agency regulating health and safety in the workplace.

**Oxidant** – A mixture of chemically oxidizing compounds formed from ultraviolet stimulated reactions in the atmosphere, with ozone a principal fraction.

**Ozone** – A molecule of three oxygen atoms —  $O_3$ . A colorless gas formed by a complex series of chemical and photochemical reaction of reactive organic gases, principally hydrocarbons, with the oxides of nitrogen, which is harmful to the public health, the biota, and some materials.

**PA** – Programmatic Agreement.

**PAH** – Polyaromatic hydrocarbons; hazardous air pollutants.

Park District - Riverside County Regional Park and Open Space District.

**Particulate Matter (Particulates)** – Very fine sized solid matter or droplets, typically averaging one micron or smaller in diameter. Also called "aerosol."

Pb - Lead.

**PCBs** – Polychlorinated biphenyls.

**PEA** – Proponent's Environmental Assessment; required by CPUC when filing application for CPCN.

**PERP** – Portable Equipment Registration Program.

**pH** – A measure of acidity or alkalinity.

**Photochemical Pollutant** – Reactive organic compounds (ROC) and nitrogen oxides (NOx), photochemical pollutants that absorb energy from the sun and react chemically to form ozone (O<sub>3</sub>).

Phytoplankton - Microscopic plants that form the base of the marine/aquatic food chain.

**Planning Reserves** – As required by WSCC Operating Criteria, WSCC member utilities must have standby generation capacity, in addition to existing demand requirements, to insure an adequate level of service.

**PM2.5** – Fine particulate matter 2.5 microns or smaller.

**PM10** – Particulate matter less than 10 microns in size, which is small enough to be inhaled deeply into the lungs and cause disease.

**Polyethylene** – A lightweight thermoplastic.

**PPA** – Power Purchase Agreement.

**ppb** – Parts per billion, a measure of the amount of one substance found in a second, which is the carrier.

**ppm** – Parts per million, a measure of the amount of one substance found in a second, which is the carrier.

ppt - Parts per thousand, a measure of the amount of one substance found in a second, which is the carrier.

**Proposed Project** – El Casco System Project.

Project - El Casco System Project.

**PSD** – Prevention of Significant Deterioration; a federal set of limits on emissions of sulfur oxide and particulates to protect air quality in non-urban area.

**PSHA** – Probabilistic Seismic Hazards Assessment.

**psi** – Pounds per square inch.

**psig** – The gauge value of pressure in pounds per square inch.

**PTC** – Permit to Construct.

**PTO** – Permit to Operate; granted by the APCD after source testing and validation of permits.

**Qal** – Quaternary alluvium.

**RAS** – Remedial Action Scheme. A protection system or plan of action which automatically initiates one or more remedial actions to ensure transmission system reliability. Also called Special Protection System (SPS).

**Rating** – Maximum operation limit of transmission or generation facilities, as established by WSCC and/or NPP operating and reliability criteria guidelines. Utility facilities and interconnections can be rated either for individual or simultaneous operation, where simultaneous operations take into consideration collective WSCC or NPP utilities.

RCRA - Resource Conservation and Recovery Act.

**Reactive Power** – A component of power production that is not sold.

**Riparian** – Area along the banks of a river or lake supporting specialized plant and animal species.

**Riprap** – A foundation constructed of broken stones or boulders loosely placed or thrown together, as in deepwater, on a soft bottom, or as a seawall to protect against erosion.

**Riser Pole** – Structure located where overhead electrical lines transition between underground and overhead construction.

**RMP** – Resource Management Plan.

**ROG** – Reactive organic gases.

**Route Alternative Option 3** – CPUC's Northerly Route Alternative Option 3.

**ROW** – Right-of-way; an easement, lease, permit, or license across an area or strip of land to allow access or to allow a utility to pass through public or private lands.

**ROWs** – Rights-of-way.

**RTU** – Remote Terminal Unit; a device that takes data from field transmitters that detect pressure, temperature, and other parameters.

**Ruderal** – Growing where the natural vegetation cover has been disturbed.

**RWQCB** – Regional Water Quality Control Board.

**SARWQB** – Santa Ana Regional Water Quality Control Board.

Saturation Zone – The area below the water tabke that is saturated with groundwater.

**SBC** – San Bernardino County.

SBNF - San Bernardino National Forest.

SCAB - South Coast Air Basin.

**SCADA** – Substation Control and Data Acquisition.

**SCAG** – Southern California Association of Governments.

**SCAQMD** – South Coast Air Quality Management District.

SCE - Southern California Edison Company (the Applicant).

**SCF** - Standard cubic foot; a measure of volume or rate of flow of liquid.

SCG - Southern California Gas.

**SCIT** – Southern California Import Transmission.

**SCPPA** – Southern California Public Power Authority.

SCS - Soil Conservation Service.

Sec. 399.25 – Section of California Public Utilities Code implementing RPS statutes.

**Seedbank** – The layer of topsoil containing native plant seed material, which is frequently used as a "seed bank" for revegetation of native plants.

**Seine** – A large fishing net made to hang vertically in the water by weights at the lower edge and floats at the top.

**Seismicity** – The relative frequency and distribution of earthquakes.

**Self-Owned or Utility-Owned Generation** – Generation which is possessed by a utility.

**Sensitive Receptor** – Land uses adjacent to or within proximity to the Proposed Project that could be impacted by construction, operation, and maintenance activities.

SGC - Southwest Gas Corporation.

**SHMP** – Seismic Hazards Mapping Program.

**SHPO** - State Historic Preservation Office.

**Shrink-Swell Potential** – The expansion or contraction of primarily clay-rich soils during alternating wetting and drying cycles.

SIO - Scenic Integrity Objective.

**SIP** – State Implementation Plan (see Air Quality); a document required periodically from each county by EPA that indicates the progress and the planning of the county for improving the quality of its air.

**SIS** – System Impact Study.

**Skylining** – Extending above the horizon line.

SO<sub>2</sub> – Sulfur dioxide; a corrosive and poisonous gas produced from the complete combustion of sulfur in fuels.

**SONET** – Synchronous Optical Network.

**SOx** – Oxides of sulfur. The group of compounds formed during combustion or thereafter in the atmosphere of sulfur compounds in the fuel, each having various levels of oxidation, ranging from two oxygen atoms for each sulfur atom to four oxygen atoms.

**SPCC** – Spill prevention containment and counter measure.

**SPS** – Special Protection System. See RAS (Remedial Action Scheme).

SR - State Route.

**SRA** – Sensitive Receptor Areas (air quality).

**SSC** – Species of Special Concern. Species not listed under the federal or California Endangered Species Acts, but are declining at a rate that could result in listing or are historically rare and known threats to their persistence exist.

**SSZ** – Special Studies Zone.

**Statement of Overriding Considerations** – A document prepared by the CEQA lead agency for a project that will cause one or more significant environmental impacts. Explains the ultimate balancing of competing public objectives, including environmental, legal, technical, social, and economic factors.

**Stream Scour** – Lowering of a stream bed during the passage of a single stream flow. Stream scour can be local in nature (see Local Scour) or more wide-spread (see General Scour).

**Substation** – A subsidiary station where electricity is transformed for distribution to a low-voltage network.

**Substrate** – Geologic term describing soil or geologic layers underlying the ground surface.

Sulfates - Compounds in air or water that contain four oxygen atoms for each sulfur atom. See SOx.

**Sulfur Oxides** – A gaseous mixture of sulfur dioxide (SO<sub>2</sub>) and sulfur trioxide (SO<sub>3</sub>) and symbolically represented as SOx. Can include particulate species such as sulfate compounds (-SO<sub>4</sub>).

**SVC** - Static VAR Compensation.

**SWPPP** - Storm Water Pollution Prevention Plan.

**SWRCB** - State Water Resources Control Board.

**T&D** – Transmission and Distribution.

TAC - Toxic Air Contaminants.

**TBD** - To be determined.

**TC** – Transportation Corridor.

**TCM** – Transportation Control Measures.

**TCP** – Traditional culture property.

**TCP** - Traffic Control Plan.

**TDM** – Transportation Demand Management; a system of analysis designed to reduce traffic levels and thereby reduce air pollution.

TDS - Total Dissolved Solids.

**TEAM** – Transmission Economic Assessment Methodology.

**Terrestrial** – Related to or living on land. Terrestrial biology deals with upland areas as opposed to shorelines or coastal habitats.

TO - Transmission Owner.

tpd - Tons per day.

**Transmission Service Customers** – Wholesale electricity utilities or other entities which pay for the use of another utility's facilities to transmit electric power from one point to another.

**Tributary** – A stream that flows into a larger stream or other body of water.

**TSP** - Total Suspended Particulates; solid or liquid particles small enough to remain suspended in air.

**TSP** – Tubular steel pole.

**Turbidity** – Cloudiness or muddiness of water, resulting from suspended or stirred up particles.

TVI - Television interference.

**TWG** – IVSG Technical Work Group.

UBC - Uniform Building Code.

ug/m<sup>3</sup> – Millionths of a gram per cubic meter, a unit of concentration in liquids or gases.

UPRR - Union Pacific Railroad.

UPRS - Union Pacific Railroad System.

**USA** – Underground Service Alert. Also known as "DigAlert".

**USACE** – U.S. Army Corps of Engineers.

**USCS** – Unified Soils Classification System.

**USDA** – U.S. Department of Agriculture.

**USEPA** – United States Environmental Protection Agency (see EPA).

USFS - U.S. Forest Service.

USFWS - U.S. Fish and Wildlife Service.

**USGS** – U.S. Geological Survey.

**Utility Corridor** – A strip of land, or an easement, on which utility facilities such as power lines and pipelines are constructed.

V/C – Volume to Capacity ratio; a measure of the capacity of a roadway. When V/C is 100 percent, no more traffic can be accommodated.

**VAC** – Visual absorption capacity.

**VAR** – Voltage ampere-reactive.

**Viscosity** – Term applied to a fluid indicating its resistance to sheer. In common terms, how "sticky" the fluid is.

**Visual Sensitivity** – Consideration of people's uses of various environments and their concerns for maintenance of scenic quality and open-space values; examples of areas of high visual sensitivity would be areas visible from scenic highways, wilderness areas, parks, recreational water bodies, etc.

**VM** – Visual Modification (Class).

**VMT** – Vehicle miles traveled, usually per day.

**VOC** – Volatile organic compounds.

**Voltage** – The rate at which electricity is drawn from a source that produces a flow of electricity in a circuit, expressed in volts.

vpd - Vehicles per day.

**VQO** - Visual Quality Objective.

VRM - Visual Resource Management.

WAPA - Western Area Power Administration.

WATCH - Work Area Traffic Control Handbook.

Watershed – The area contained within a drainage divide above a specified point on a stream.

**WECC** – Western Electricity Coordinating Council.

**Wetland** – Lands transitional between obviously upland and aquatic environments. Wetlands are generally highly productive environments with abundant fish, wildlife, aesthetic, and natural resource values. For this reason, coupled with the alarming rate of their destruction, they are considered valuable resources, and several regulations and laws have been implemented to protect them.

**Wheeling** – An electric operation wherein transmission facilities of one system are utilized to transmit power of another system.

WHO - World Health Organization.

**Williamson Act** – California's primary program for the conservation of private land in agricultural and open space use. Also known as the California Land Conservation Act of 1965.

WPCP - Water Pollution Control Plant.

**WRCC** – Western Regional Climate Center.

WSA - Wilderness Study Area.

**WSCC** – Western Systems Coordinating Council.

**WSF** – Water Soluble Fraction.

**WUG** – Western Utility Group.

**XLPE** – Solid Dielectric Cross-Linked Polyethylene. Material used to insulate conductors that are placed underground.

**Zooplankton** – Microscopic marine/aquatic animals generally carried within a water mass.