

October 22, 2025

Tharon Wright
Public Utilities Regulatory Analyst III
California Public Utilities Commission
505 Van Ness Avenue
San Francisco, CA 94102
VIA EMAIL

RE: CPUC Data Request #13 for PG&E's Moraga to Oakland X 115 Kilovolt Rebuild Project (A.24-11-005)

Dear Ms. Wright,

This letter is in reply to your October 15, 2025, letter in which you request certain additional information regarding Pacific Gas and Electric Company's (PG&E's) application (A.24-11-005) for a Permit to Construct (PTC) and Proponent's Environmental Assessment (PEA) for the Moraga-Oakland X 115 kilovolt (kV) Rebuild Project (project). The original text for each data request item from the California Public Utilities Commission (CPUC) is included, followed by PG&E's response.

PEA Chapter 3, Project Description

In Comment Set D15, Paul Kubicek requests maintenance of the Project area sites following construction and states that some of the more frequented sites have experienced trash disposal and graffiti (e.g., the towers that sit on a knoll between the City of Oakland Maintenance Yard on Shepherd Canyon Road and the old Railroad Right-Of-Way Trail). Mr. Kubicek concludes that a long-term maintenance element of the MOX Project should be a program of regular inspection and clean-up at these sites.

PG&E's operation and maintenance activities, as described in the PEA and EIR Section 2.6, would consist of routine inspection, repair, and maintenance activities, which would be conducted as they are under existing conditions for existing facilities modified as part of the MOX Project. Emergency repair operations for damage from storms, floods, vandalism, or accidents would involve the prompt deployment of crews and necessary equipment to repair and replace damaged facilities.

How does PG&E address inspection, maintenance, and cleanup of its ROW aside from its vegetation management program and fixing damage to facilities?

PG&E's Response

PG&E implements the following procedure for trash abatement or vandalism on PG&E properties:

- PG&E first receives notification of an issue from the public, an agency or PG&E inspection.
- PG&E's Land Department reviews the request and a PG&E land agent verifies the issue is on PG&E property.
- Once the issue is verified on PG&E property, a PG&E environmental field specialist will assess the trash for any hazardous materials.

- If hazardous materials are identified, a specialized cleanup contractor will properly clean up the materials and dispose of them at a licensed facility.
- If no hazardous materials are identified, PG&E will implement a resolution plan to clean up the trash.
- If vandalism occurs on PG&E property, such as graffiti, PG&E's painting and coatings department will lead the cleanup.
- After cleanup is completed, PG&E will complete photo documentation and close the case.

The public can submit a request under the topic **Reporting issues on PG&E-owned property** at the following link: <https://www.pge.com/en/about/land-use-and-sales/easement-and-property-requests.html>

We trust the information provided herein is fully responsive to your requests. However, should you have any further requests, please contact me at 415-990-6001 or BXLG@pge.com.

Sincerely,



Brandon Liddell
Principal Land Planner

cc:

Michelle Wilson, CPUC CEQA Unit
Erica Schlemer, PG&E Law Department
Colleen Taylor, Jacobs
Hedy Koczwara, Aspen Environmental Group