

Attachment E

Temporary Extra Work Space Form

Sunrise Powerlink Transmission Project Mitigation Monitoring, Compliance, and Reporting Program



California Public Utilities Commission
and
Bureau of Land Management
U.S. Department of Interior

November 2009

TEMPORARY EXTRA WORK SPACE REQUEST

Location/Address _____ City/County _____

Proposed Use of Site _____

Proposed Date(s) of Use _____ Proposed Hours of Use _____

Adjacent Land Uses _____

SDG&E Permit Coordinator (Prepared by) _____ Date _____

Biological, Cultural and Paleontological reconnaissance surveys are mandatory for use of any areas containing vegetation, or exposed earth that have not been previously surveyed and fully described in project documents. Biological surveys are mandatory for all temporary extra work sites. Attach a diagram of the proposed area that identifies the location of the site and proximity to sensitive resources or receptors.

* Complete the environmental checklist below. Note: **Yes** answers require additional clarification and should be submitted as an attachment to this form.

Environmental Checklist	Yes*	No	CPUC Verified
Air Quality: Would equipment be on site or idled for more than 10 minutes? Would there be dust-producing activities?			
Biological Resources A: Would use of the site result in potential impacts to sensitive biological resources? Would use of the site result in potential for the spread of noxious weeds?			
Cultural/Paleontological Resources: Would clearing or grading be required?			
Water Resources: Would runoff from the site flow into storm drains or a waterway? Would equipment refueling or maintenance be performed? Would materials block/impact storm drains or gutters?			
Land Use and Recreation: Would use of site block access to local land uses and recreational areas?			
Noise: Are noise-sensitive receptors (e.g., homes, schools, hospitals, churches convalescent homes, parks, recreational areas) adjacent to the site?			
Socioeconomics: Would access to business be blocked? Would there be disruption of business operations?			
Traffic: Would parking be eliminated? Would increased construction traffic result in impacts? Is the site a residential area?			
Visual: Would lights at site create glare for adjacent land uses (including roadways)?			

Standard Conditions of Approval

- *The CPUC, via its designated Environmental Monitor, will review and approve/deny the Temporary Extra Workspace Request (TEWS) request within four business days of receiving this completed form.*
- Use of TEWS is limited to 60 days. First proposed date of use: _____
- Use of TEWS shall be in compliance with local ordinances (including traffic/noise) and mitigation measures.
- If any signs of cultural resources are identified, work shall cease immediately and the site shall be reevaluated.
- The proposed site shall not be used for storage of fuel or hazardous materials.
- All drips, leaks, and/or spills from vehicles and/or equipment shall be cleaned-up immediately and disposed of in appropriate, labeled containers.
- Adjacent streets shall be swept or cleaned with water at the end of each workday if visible soil material is carried on them.
- No parking or storage of vehicles (including personnel vehicles), equipment, pipe, or any other project-related item shall be allowed on adjacent roadways.
- If a complaint is received, it shall be forwarded to the SDG&E Permit Coordinator, the CPUC Environmental Monitor, and the CPUC Lead Environmental Monitor for review.

The following signatures indicate that the proposed site is approved for TEWS. On a random basis, a CPUC Environmental Monitor will verify that use of the proposed site is in accordance with the conditions noted. This approval may be revoked at any time by any one of the approval team. Failure to comply with all conditions will result in immediate revocation of this TEWS approval.

Property Owner _____ Date _____

SDG&E Construction _____ Date _____

SDG&E Permit Coordinator _____ Date _____

The above TEWS request and attached documentation have been reviewed and this request is approved or denied (*circle one*).

CPUC Environmental Monitor _____ Date _____

****Additional CPUC Conditions of Approval**

(CPUC Monitor Initial _____)

REASON(S) FOR DENIAL:
