

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
ENCROACHMENT PERMIT

VZ202973CADAFAFK04

TR-0120 (REV 6/2012)

Permit No.

0416-6UC0171

In compliance with (Check one):

- Your application of January 26, 2016
- Utility Notice No. _____ of _____
- Agreement No. _____ of _____
- R/W Contract No. _____ of _____

DATE

June 23, 2016

| | |
|-------------------------------|---------------------------|
| Fee Paid \$ 492.00 | Deposit \$ |
| Performance Bond Amount \$ | Payment Bond Amount \$ |
| Bond Company | |
| Bond Number (1) | Bond Number (2) |

TO: Crown Castle
 222 E Carrillo Street, Suite 107
 Santa Barbara, CA 93101

Attn: Larry Thorne
 Phone (805) 704-4909 , PERMITTEE

and subject to the following, **PERMISSION IS HEREBY GRANTED** to:

Attach fiber optic cable on existing utility poles on State Highway 04-SM-1, Post Mile 10.0-12.2, in the City of Pescadero.

A minimum of one week prior to start of work under this permit, notice shall be given to, and approval of construction details, operations, public safety, and traffic control shall be obtained from State Representative, Fred Farid, 111 Grand Avenue, Oakland, CA 94612, (415) 330-6537, fred_farid@dot.ca.gov, weekdays, between 7:30 AM and 4:15 PM.

All permitted work requiring traffic control requires the permittee to apply for and obtain a lane closure number prior to the start of any work that may affect traffic. See the attached "Encroachment Permit Project Traffic Control Procedures" and the attached "Permit Project Traffic Control Request Form". Additional time beyond the minimum seven day advanced notice required in the above paragraph may be required for obtaining the traffic control approval.

THIS PERMIT IS NOT A PROPERTY RIGHT AND DOES NOT TRANSFER WITH THE PROPERTY TO A NEW OWNER.

| | | | | |
|---|--|---|--|------------|
| The following attachments are also included as part of this permit (<i>Check applicable</i>): | | In addition to fee, the permittee will be billed actual costs for: | | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | Review |
| <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | Inspection |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input checked="" type="checkbox"/> Yes | ----- | Field Work |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <i>(If any Caltrans effort expended)</i> | | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | General Provisions (TR-0045) | | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | Utility & Tree Trimming Provisions (03/2013) | | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | Storm Water Special Provisions (TR-0400) | | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | A Cal-OSHA permit, if required: Permit No. _____ | | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | As-Built Plans Submittal Route Slip for Locally Advertised Projects | | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | Storm Water Pollution Prevention Plan | | |

Yes No The information in the environmental documentation has been reviewed and considered prior to approval of this permit.


This permit is void unless the work is completed before February 28, 2017.

This permit is to be strictly construed and no other work other than specifically mentioned is hereby authorized. No project work shall be commenced until all other necessary permits and environmental clearances have been obtained.

LBM/lbm

c: ESherman III (2)
JRichardson, FFarid

APPROVED:

BIJAN SARTIPI, District Director, District 4
 BY: 
DAVID SALLADAY, District Permit Engineer

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

When approved, traffic control under this permit shall comply with Caltrans' 2015 Standard Plans T9 through T14 (available at <http://www.dot.ca.gov/des/oe/construction-contract-standards.html>).

When operations are conducted, the permittee shall furnish, place, and maintain signs and safety equipment per Part 6, Temporary Traffic Control, of the "California Manual on Uniform Traffic Control Devices" (CAMUTCD, available at http://www.dot.ca.gov/hq/traffops/engineering/mutcd/ca_mutcd2014.htm).

Aerial crossing may be performed between sunrise and 9:00 am on Sundays. All traffic may be stopped by California Highway Patrol for a maximum of 10 minutes. No other closure permitted.

Shoulder may be closed while work is actively in progress. For all other work shoulder may be closed from 9:00 am to 3:00 pm, Monday through Friday; holidays excluded. For shoulder closure, see Standard Plan RSP T10.

All utility work shall comply with the attached "Encroachment Permits Utility and Tree Trimming Special Provisions" (Rev. 03/2013) (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>), which includes "Encroachment Permit General Provisions" (TR-0045, Rev. 05/2007).

Certain details of work authorized hereby are shown on permittee's plan submitted with request for permit.

Any change or damage to any existing facilities, landscaping, irrigation or drainage pattern, whether occasioned by increase or diversion, and the cost of any damage, repairs or restoration within the State right-of-way shall be the responsibility of the permittee.

The contractor for the permittee shall apply for a separate encroachment permit ("Double Permit" or "DP") for the work authorized therein, and the application shall be accompanied by a check of the amount equivalent to 2 hours to cover the permit processing and inspection fee per the current State hourly rate (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>). Additional inspection hours will be charged at the current State hourly rate.

All the permittee's personnel shall wear appropriate and approved personal protective equipment per Chapter 12 of Caltrans "Safety Manual" (available at http://www.dot.ca.gov/hq/opo/safety/safetymanual/Chap_12-Sept2012.pdf), including hard hats and bright-colored safety vests, shirts or jackets with retro-reflective material, while on the State right-of-way.

Immediately following completion of the work permitted herein, the permittee shall fill out and mail the notice of completion attached to this permit.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
ENCROACHMENT PERMIT

TR-0120 (REV 6/2012)

| | |
|---|----------------------------------|
| Permit No. 0416-6UC0172 | |
| Dist/Co/Rte/PM 04-SM-1 PM 0.2 - 3.4 | |
| DATE May 5, 2016 | |
| Fee Paid \$ 492.00 | Deposit \$ |
| Performance Bond Amount \$ | Payment Bond Amount \$ |
| Bond Company | |
| Bond Number (1) | Bond Number (2) |

In compliance with (Check one):

- Your application of January 26, 2016
- Utility Notice No. _____ of _____
- Agreement No. _____ of _____
- R/W Contract No. _____ of _____

TO: Crown Castle
 222 E Carrillo Street, Suite 107
 Santa Barbara, CA 93101

Attn: Larry Thorne
 Phone (805) 704-4909

, PERMITTEE

and subject to the following, **PERMISSION IS HEREBY GRANTED** to:

Attach fiber optic cable on existing utility poles on State Highway 04-SM-1, Post Mile 0.2-3.4, in the City of Pescadero.

A minimum of one week prior to start of work under this permit, notice shall be given to, and approval of construction details, operations, public safety, and traffic control shall be obtained from State Representative, Fred Farid, 111 Grand Avenue, Oakland, CA 94612, (415) 330-6537, fred_farid@dot.ca.gov, weekdays, between 7:30 AM and 4:15 PM.

All permitted work requiring traffic control requires the permittee to apply for and obtain a lane closure number prior to the start of any work that may affect traffic. See the attached "Encroachment Permit Project Traffic Control Procedures" and the attached "Permit Project Traffic Control Request Form". Additional time beyond the minimum seven day advanced notice required in the above paragraph may be required for obtaining the traffic control approval.


THIS PERMIT IS NOT A PROPERTY RIGHT AND DOES NOT TRANSFER WITH THE PROPERTY TO A NEW OWNER.

| | | | |
|--|--|--|--|
| The following attachments are also included as part of this permit (Check applicable): | | In addition to fee, the permittee will be billed actual costs for: | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
| <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input checked="" type="checkbox"/> Yes | ----- |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | | |
| | | | |

Yes No The information in the environmental documentation has been reviewed and considered prior to approval of this permit.

This permit is void unless the work is completed before February 28, 2017.

This permit is to be strictly construed and no other work other than specifically mentioned is hereby authorized. No project work shall be commenced until all other necessary permits and environmental clearances have been obtained.

| | |
|--|--|
| LBM/lbm | APPROVED: |
| c: ESherman III (2) JRichardson, FFarid | BIJAN SARTIPI, District Director, District 4 |
| | BY:  |
| | DAVID SALLADA, District Permit Engineer |

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street MS-89, Sacramento, CA 95814.

All work shall comply with the attached "Encroachment Permit General Provisions" (TR-0045, Rev. 05/2007) (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>), and the following special provisions:

When approved, traffic control under this permit shall comply with Caltrans' Revised Standard Plans (RSP) T9 through RSP T14 (available at http://www.dot.ca.gov/hq/esc/oe/construction_standards.html).

When operations are conducted, the permittee shall furnish, place, and maintain signs and safety equipment per Part 6, Temporary Traffic Control, of the "California Manual on Uniform Traffic Control Devices" (CAMUTCD, available at http://www.dot.ca.gov/hq/traffops/engineering/mutcd/ca_mutcd2014.htm).

Aerial crossing may be performed between sunrise and 9:00 AM on Sundays. All traffic may be stopped by California Highway Patrol for a maximum of 10 minutes. No other closure permitted.

Shoulder may be closed while work is actively in progress. For all other work shoulder may be closed from 9:00 AM to 3:00 PM, Monday through Friday, holidays excluded. No other closure permitted. For shoulder closure, see Standard Plan RSP T10.

All utility work shall comply with the attached "Encroachment Permits Utility and Tree Trimming Special Provisions" (Rev. 03/2013) (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>), which includes "Encroachment Permit General Provisions" (TR-0045, Rev. 05/2007).

Certain details of work authorized hereby are shown on permittee's plan submitted with request for permit.

Any change or damage to any existing facilities, landscaping, irrigation or drainage pattern, whether occasioned by increase or diversion, and the cost of any damage, repairs or restoration within the State right-of-way shall be the responsibility of the permittee.

The contractor for the permittee shall apply for a separate encroachment permit ("Double Permit" or "DP") for the work authorized therein, and the application shall be accompanied by a check of the amount equivalent to 2 hours to cover the permit processing and inspection fee per the current State hourly rate (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>). Additional inspection hours will be charged at the current State hourly rate.

All the permittee's personnel shall wear appropriate and approved personal protective equipment per Chapter 12 of Caltrans "Safety Manual" (available at http://www.dot.ca.gov/hq/opo/safety/safetymanual/Chap_12-Sept2012.pdf), including hard hats and bright-colored safety vests, shirts or jackets with retro-reflective material, while on the State right-of-way.

Immediately following completion of the work permitted herein, the permittee shall fill out and mail the notice of completion attached to this permit.

CUSTOMER SERVICE QUESTIONNAIRE

TR-0164 (REV 2/2001)

PERMIT NUMBER

0416-6UC0172

Dear Customer,

Our goal is to provide the best service possible to our customers. Please take a few minutes to complete this questionnaire. Your comments will enable us to see how we are doing overall and any areas which may need improvement.

PLEASE TELL US HOW WE'RE DOING

| INSIDE THE OFFICE | EXCELLENT | VERY GOOD | GOOD | POOR |
|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Staff courteous and helpful | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Staff quick and efficient | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Explanations and instructions clear | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

TELEPHONE ANSWERING

| | | | | |
|----------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Timely response | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Receiving information or answers | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

INSPECTION

| | | | | |
|---|--------------------------|--------------------------|--------------------------|--------------------------|
| Inspector courteous and helpful | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Pre-construction meeting set and held in a timely manner | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Inspector at job site frequently | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Inspector able to answer questions and deal with problems | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

OVERALL PERFORMANCE

| | | | | |
|--|--------------------------|--------------------------|--------------------------|--------------------------|
| What would you say is our overall performance? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|--|--------------------------|--------------------------|--------------------------|--------------------------|

Is there a staff person you would like to commend?

STAFF'S NAME:

COMMENTS:

NAME (Optional)

BUSINESS PHONE NUMBER

DATE

ADA Notice

For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
ENCROACHMENT PERMIT

TR-0120 (REV 6/2012)

| | |
|--|----------------------------------|
| Permit No. 0416-6UC0173 | |
| Dist/Co/Rte/PM 04-SM-1-5.7-7.3 | |
| DATE April 29, 2016 | |
| Fee Paid \$ 492.00 | Deposit \$ |
| Performance Bond Amount \$ | Payment Bond Amount \$ |
| Bond Company | |
| Bond Number (1) | Bond Number (2) |

In compliance with (Check one):

- Your application of January 26, 2016
- Utility Notice No. _____ of _____
- Agreement No. _____ of _____
- R/W Contract No. _____ of _____

TO: Crown Castle
 222 E Carrillo Street, Suite 107
 Santa Barbara, CA 93101

Attn: Larry Thorne
 Phone (805) 704-4909 _____, PERMITTEE

and subject to the following, **PERMISSION IS HEREBY GRANTED** to:

Attach fiber optic cable on existing utility poles on State Highway 04-SM-1, Post Mile 5.7-7.3, in the City of Pescadero.

A minimum of one week prior to start of work under this permit, notice shall be given to, and approval of construction details, operations, public safety, and traffic control shall be obtained from State Representative, Fred Farid, 111 Grand Avenue, Oakland, CA 94612, (415) 330-6537, fred_farid@dot.ca.gov, weekdays, between 7:30 AM and 4:15 PM.

All permitted work requiring traffic control requires the permittee to apply for and obtain a lane closure number prior to the start of any work that may affect traffic. See the attached "Encroachment Permit Project Traffic Control Procedures" and the attached "Permit Project Traffic Control Request Form". Additional time beyond the minimum seven day advanced notice required in the above paragraph may be required for obtaining the traffic control approval.

THIS PERMIT IS NOT A PROPERTY RIGHT AND DOES NOT TRANSFER WITH THE PROPERTY TO A NEW OWNER.

The following attachments are also included as part of this permit (Check applicable):

- Yes No General Provisions (TR-0045)
- Yes No Utility & Tree Trimming Provisions (03/2013)
- Yes No Storm Water Special Provisions (TR-0400)
- Yes No A Cal-OSHA permit, if required: Permit No. _____
- Yes No As-Built Plans Submittal Route Slip for Locally Advertised Projects
- Yes No Storm Water Pollution Prevention Plan

In addition to fee, the permittee will be billed actual costs for:

- Yes No Review
- Yes No Inspection
- Yes ----- Field Work

(If any Caltrans effort expended)

Yes No The information in the environmental documentation has been reviewed and considered prior to approval of this permit.

This permit is void unless the work is completed before February 28, 2017.

This permit is to be strictly construed and no other work other than specifically mentioned is hereby authorized.
 No project work shall be commenced until all other necessary permits and environmental clearances have been obtained.

LBM/lbm
 c: ESherman III (2)
 JRichardson, FFarid

APPROVED:
BIJAN SARTIPI, District Director, District 4
 BY:
DAVID SALLADAY, District Permit Engineer

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street, MS-89 Sacramento, CA 95814.

All work shall comply with the attached "Encroachment Permit General Provisions" (TR-0049, Rev. 05/2007) (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>), and the following special provisions:

When approved, traffic control under this permit shall comply with Caltrans' Revised Standard Plans (RSP) T9 through RSP T14 (available at http://www.dot.ca.gov/hq/esc/oe/construction_standards.html).

When operations are conducted, the permittee shall furnish, place, and maintain signs and safety equipment per Part 6, Temporary Traffic Control, of the "California Manual on Uniform Traffic Control Devices" (CAMUTCD, available at http://www.dot.ca.gov/hq/traffops/engineering/mutcd/ca_mutcd2014.htm).

Aerial crossing may be performed between sunrise and 9:00 AM on Sundays. All traffic may be stopped by California Highway Patrol for a maximum of 10 minutes. No other closure permitted.

Shoulder may be closed while work is actively in progress. For all other work shoulder may be closed from 9:00 AM to 3:00 PM, Monday through Friday, holidays excluded. No other closure permitted. For shoulder closure, see Standard Plan RSP T10.

All utility work shall comply with the attached "Encroachment Permits Utility and Tree Trimming Special Provisions" (Rev. 03/2013) (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>), which includes "Encroachment Permit General Provisions" (TR-0049, Rev. 05/2007).

Certain details of work authorized hereby are shown on permittee's plan submitted with request for permit.

Any change or damage to any existing facilities, landscaping, irrigation or drainage pattern, whether occasioned by increase or diversion, and the cost of any damage, repairs or restoration within the State right-of-way shall be the responsibility of the permittee.

The Contractor for the permittee shall apply for a separate encroachment permit ("Double Permit" or "DP") for the work authorized therein, and the application shall be accompanied by a check of the amount equivalent to 2 hours to cover the permit processing and inspection fee per the current State hourly rate (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>). Additional inspection hours will be charged at the current State hourly rate.

All the permittee's personnel shall wear appropriate and approved personal protective equipment per Chapter 12 of Caltrans "Safety Manual" (available at http://www.dot.ca.gov/hq/opo/safety/safetymanual/Chap_12-Sept2012.pdf), including hard hats and bright-colored safety vests, shirts or jackets with retro-reflective material, while on the State right-of-way.

Immediately following completion of the work permitted herein, the permittee shall fill out and mail the notice of completion attached to this permit.

CUSTOMER SERVICE QUESTIONNAIRE

TR-0164 (REV 2/2001)

PERMIT NUMBER

0416-6UC0173

Dear Customer,

Our goal is to provide the best service possible to our customers. Please take a few minutes to complete this questionnaire. Your comments will enable us to see how we are doing overall and any areas which may need improvement.

PLEASE TELL US HOW WE'RE DOING

| INSIDE THE OFFICE | EXCELLENT | VERY GOOD | GOOD | POOR |
|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Staff courteous and helpful | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Staff quick and efficient | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Explanations and instructions clear | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

TELEPHONE ANSWERING

| | | | | |
|----------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Timely response | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Receiving information or answers | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

INSPECTION

| | | | | |
|---|--------------------------|--------------------------|--------------------------|--------------------------|
| Inspector courteous and helpful | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Pre-construction meeting set and held in a timely manner | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Inspector at job site frequently | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Inspector able to answer questions and deal with problems | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

OVERALL PERFORMANCE

| | | | | |
|--|--------------------------|--------------------------|--------------------------|--------------------------|
| What would you say is our overall performance? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
|--|--------------------------|--------------------------|--------------------------|--------------------------|

Is there a staff person you would like to commend?

STAFF'S NAME:

COMMENTS:

NAME (Optional)

BUSINESS PHONE NUMBER

DATE

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
ENCROACHMENT PERMIT

TR-0120 (REV 6/2012)

| | |
|--|----------------------------------|
| Permit No. 0416-6UC0174 | |
| Dist/Co/Rte/PM 04-SM-1 PM 8.0 - 10.7 | |
| DATE May 13, 2016 | |
| Fee Paid \$ 492.00 | Deposit \$ |
| Performance Bond Amount \$ | Payment Bond Amount \$ |
| Bond Company | |
| Bond Number (1) | Bond Number (2) |

In compliance with (Check one):

- Your application of January 26, 2016
- Utility Notice No. _____ of _____
- Agreement No. _____ of _____
- R/W Contract No. _____ of _____

TO: Crown Castle
 222 E Carrillo Street, Suite 107
 Santa Barbara, CA 93101

Attn: Larry Thorne
 Phone (805) 704-4909

, PERMITTEE

and subject to the following, **PERMISSION IS HEREBY GRANTED** to:

Attach fiber optic cable on existing utility poles on State Highway 04-SM-1, Post Mile 8.0-10.7, in the City of Pescadero.

A minimum of one week prior to start of work under this permit, notice shall be given to, and approval of construction details, operations, public safety, and traffic control shall be obtained from State Representative, Fred Farid, 111 Grand Avenue, Oakland, CA 94612, (415) 330-6537, fred_farid@dot.ca.gov, weekdays, between 7:30 AM and 4:15 PM.

All permitted work requiring traffic control requires the permittee to apply for and obtain a lane closure number prior to the start of any work that may affect traffic. See the attached "Encroachment Permit Project Traffic Control Procedures" and the attached "Permit Project Traffic Control Request Form". Additional time beyond the minimum seven day advanced notice required in the above paragraph may be required for obtaining the traffic control approval.


THIS PERMIT IS NOT A PROPERTY RIGHT AND DOES NOT TRANSFER WITH THE PROPERTY TO A NEW OWNER.

| | | | |
|--|--|--|--|
| The following attachments are also included as part of this permit (<i>Check applicable</i>): | | In addition to fee, the permittee will be billed actual costs for: | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
| <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input checked="" type="checkbox"/> Yes | ----- |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | | |
| General Provisions (TR-0045) Utility & Tree Trimming Provisions (03/2013) Storm Water Special Provisions (TR-0400) A Cal-OSHA permit, if required: Permit No. _____ As-Built Plans Submittal Route Slip for Locally Advertised Projects Storm Water Pollution Prevention Plan | | Review Inspection Field Work <i>(If any Caltrans effort expended)</i> | |

Yes No The information in the environmental documentation has been reviewed and considered prior to approval of this permit.

This permit is void unless the work is completed before March 31, 2017.

This permit is to be strictly construed and no other work other than specifically mentioned is hereby authorized.
 No project work shall be commenced until all other necessary permits and environmental clearances have been obtained.

| | |
|--|---|
| LBM/lbm | APPROVED: |
| c: ESherman III (2) JRichardson, FFarid | BIJAN SARTIPI, District Director, District 4 |
| | BY:  DAVID SALLADA, District Permit Engineer |

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

All work shall comply with the attached "Encroachment Permit General Provisions" (TR-0045, Rev. 05/2007) (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>), and the following special provisions:

When approved, traffic control under this permit shall comply with Caltrans' Revised Standard Plans (RSP) T9 through RSP T14 (available at http://www.dot.ca.gov/hq/esc/oe/construction_standards.html).

When operations are conducted, the permittee shall furnish, place, and maintain signs and safety equipment per Part 6, Temporary Traffic Control, of the "California Manual on Uniform Traffic Control Devices" (CAMUTCD, available at http://www.dot.ca.gov/hq/traffops/engineering/mutcd/ca_mutcd2014.htm).

Aerial crossing may be performed between sunrise and 9:00 AM on Sundays. All traffic may be stopped by California Highway Patrol for a maximum of 10 minutes. No other closure permitted.

Shoulder may be closed while work is actively in progress. For all other work shoulder may be closed from 9:00 AM to 3:00 PM, Monday through Friday, holidays excluded. No other closure permitted. For shoulder closure, see Standard Plan RSP T10.

All utility work shall comply with the attached "Encroachment Permits Utility and Tree Trimming Special Provisions" (Rev. 03/2013) (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>), which includes "Encroachment Permit General Provisions" (TR-0045, Rev. 05/2007).

Certain details of work authorized hereby are shown on permittee's plan submitted with request for permit.

Any change or damage to any existing facilities, landscaping, irrigation or drainage pattern, whether occasioned by increase or diversion, and the cost of any damage, repairs or restoration within the State right-of-way shall be the responsibility of the permittee.

The contractor for the permittee shall apply for a separate encroachment permit ("Double Permit" or "DP") for the work authorized therein, and the application shall be accompanied by a check of the amount equivalent to 2 hours to cover the permit processing and inspection fee per the current State hourly rate (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>). Additional inspection hours will be charged at the current State hourly rate.

All the permittee's personnel shall wear appropriate and approved personal protective equipment per Chapter 12 of Caltrans "Safety Manual" (available at http://www.dot.ca.gov/hq/opo/safety/safetymanual/Chap_12-Sept2012.pdf), including hard hats and bright-colored safety vests, shirts or jackets with retro-reflective material, while on the State right-of-way.

Immediately following completion of the work permitted herein, the permittee shall fill out and mail the notice of completion attached to this permit.

CUSTOMER SERVICE QUESTIONNAIRE

TR-0164 (REV 2/2001)

PERMIT NUMBER

0416-6UC0174

Dear Customer,

Our goal is to provide the best service possible to our customers. Please take a few minutes to complete this questionnaire. Your comments will enable us to see how we are doing overall and any areas which may need improvement.

PLEASE TELL US HOW WE'RE DOING

| INSIDE THE OFFICE | EXCELLENT | VERY GOOD | GOOD | POOR |
|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Staff courteous and helpful | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Staff quick and efficient | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Explanations and instructions clear | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

TELEPHONE ANSWERING

| | | | | |
|----------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Timely response | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Receiving information or answers | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

INSPECTION

| | | | | |
|---|--------------------------|--------------------------|--------------------------|--------------------------|
| Inspector courteous and helpful | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Pre-construction meeting set and held in a timely manner | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Inspector at job site frequently | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Inspector able to answer questions and deal with problems | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |

OVERALL PERFORMANCE

| | | | | |
|--|--------------------------|--------------------------|--------------------------|--------------------------|
| What would you say is our overall performance? | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |
| Is there a staff person you would like to commend? | STAFF'S NAME: | | | |

COMMENTS:

NAME (Optional)

BUSINESS PHONE NUMBER

DATE

ADA Notice

For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
ENCROACHMENT PERMIT

VZ202973CADAVUFK03

TR-0120 (REV 6/2012)

| | |
|--------------------------------------|---------------------------|
| Permit No. 0416-6UL0175 | |
| Dist/Co/Rte/PM 04-SM-1 PM 3.9-5.7 | |
| DATE July 1, 2016 | |
| Fee Paid \$ 492.00 | Deposit \$ |
| Performance Bond Amount \$ | Payment Bond Amount \$ |
| Bond Company | |
| Bond Number (1) | Bond Number (2) |

In compliance with (Check one):

- Your application of January 26, 2016
- Utility Notice No. _____ of _____
- Agreement No. _____ of _____
- R/W Contract No. _____ of _____

TO: Crown Castle
222 East Carrillo Street, Suite 107
Santa Barbara, CA 93101

Attn: Mr. Larry Thorne
 Phone: (805) 704-4909

, PERMITTEE

And subject to the following, **PERMISSION IS HEREBY GRANTED** to:

Excavate seven (7) bore pits, one (1) pothole; place new fiber optic cable in conduit; and install 21 pullboxes, on State Highway 04-SM-1, Post Mile 3.9-5.7, in the City of Pescadero.

A minimum of one week prior to the start of work under this permit, notice shall be given and advance approval of construction detail, operations, public safety and traffic control shall be obtained from State Representative Fred Farid, 111 Grand Avenue, Oakland, 94612, 415-330-6537, fred.farid@dot.ca.gov, weekdays between 7:30 am and 4:15 pm..

All permitted work requires the permittee to apply for and obtain a work authorization number prior to start of work. See the attached "Encroachment Permit Project Work Scheduling Procedures" and the attached "Permit Project Work Scheduling Request Form". Additional time beyond the minimum seven-day advanced notice required in the above paragraph may be required for obtaining approval.

THIS PERMIT IS NOT A PROPERTY RIGHT AND DOES NOT TRANSFER WITH THE PROPERTY TO A NEW OWNER.

The following attachments are also included as part of this permit (Check applicable):

- Yes No General Provisions (TR-0045)
- Yes No Utility & Tree Trimming Provisions (03/2013)
- Yes No Storm Water Special Provisions (TR-0400)
- Yes No A Cal-OSHA permit, if required: Permit No. _____
- Yes No As-Built Plans Submittal Route Slip for Locally Advertised Projects
- Yes No Storm Water Pollution Prevention Plan

In addition to fee, the permittee will be billed actual costs for:

- Yes No Review
- Yes No Inspection
- Yes ----- Field Work


(If any Caltrans effort expended)

Yes No The information in the environmental documentation has been reviewed and considered prior to approval of this permit.

This permit is void unless the work is completed before August 31, 2016.

This permit is to be strictly construed and no other work other than specifically mentioned is hereby authorized. No project work shall be commenced until all other necessary permits and environmental clearances have been obtained.

LBM/lbm
 c: FFarid, ANaseer
 ESherman III (2)

APPROVED:
BIJAN SARTIPI, District Director, District 4
 BY:

DAVID SALLADAY, District Permit Engineer

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street, MS-89 Sacramento, CA 95814.

All utility work shall comply with the attached "Encroachment Permits Utility and Tree Trimming Special Provisions" (Rev. 03/2013) (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>), which includes "Encroachment Permit General Provisions" (TR-0045, Rev. 05/2007).

Certain details of work authorized hereby are shown on plan submitted with this application and/or directed by the State's Representative.

All the permittee's personnel shall wear appropriate and approved personal protective equipment per Chapter 12 of Caltrans "Safety Manual" (available at http://www.dot.ca.gov/hq/opo/safety/safetymanual/Chap_12-Sept2012.pdf), including hard hats and bright-colored safety vests, shirts or jackets with retro-reflective material, while on the State right-of-way.

The job site must be enclosed by suitable barricades, signs, and lights to warn and protect traffic effectively, as approved by the State Representative.

When approved, traffic control under this permit shall comply with Caltrans' 2015 Standard Plans T9 through T14 (available at <http://www.dot.ca.gov/des/oe/construction-contract-standards.html>).

Shoulder may be closed anytime except between 6:00 am to 9:00 am and 3:00 pm to 7:00 pm, Monday through Friday; holidays excluded. No lane closure permitted.

Streets and highways in the Bay Area contain a significant number of existing underground utilities. This includes traffic signal conduits that are installed 9 inches or less in depth. Permittee is responsible for necessary site investigations for identification of the location and depth of existing underground facilities prior to excavation (e.g. pothole or hand-dig) to avoid damage or disruption in services.

The permittee must be responsible for all compliance with the Caltrans Storm Water Program and NPDES permit requirements.

Any change or damage to any existing facilities, landscaping, irrigation or drainage pattern, whether occasioned by increase or diversion, and the cost of any damage, repairs or restoration within the State right-of-way shall be the responsibility of the permittee.

In accordance with subdivision (a) of Streets and Highways Code section 682.5, Caltrans shall not be responsible for the conduct or operation of the permitted activity, and permittee agrees to indemnify and hold harmless the State and the City or the County against any and all claims arising out of any activity for which the permit is issued.

If an accident or other incident (related to or not related to the permitted activity) occurs within, or close to the permitted activity, the Permittee shall immediately stop work and remove traffic controls from the highway unless public health, welfare and safety is endangered by unfinished work. Only traffic control to protect open excavations may remain in place. After free traffic flow is restored, work in accordance with the conditions of the permit may be resumed.

The contractor for the permittee shall apply for a separate encroachment permit ("Double Permit" or "DP") for the work authorized therein, and the application shall be accompanied by a check of the amount equivalent to 6 hours to cover the permit processing and inspection fee per the current State hourly rate (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>). Additional inspection hours will be charged at the current State hourly rate.

Immediately following completion of the work permitted herein, the permittee shall fill out and mail the Notice of Completion attached to this permit.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
ENCROACHMENT PERMIT

VZ202973CADAVUFK04

TR-0120 (REV 6/2012)

Permit No.
 0416-6UL0176

In compliance with (Check one):

- Your application of January 26, 2016
- Utility Notice No. _____ of _____
- Agreement No. _____ of _____
- R/W Contract No. _____ of _____

Dist/Co/Rte/PM
 04-SM-1 PM 7.9-8.6

DATE
 July 1, 2016

| | |
|-----------------------|---------------|
| Fee Paid \$ 492.00 | Deposit \$ |
|-----------------------|---------------|

| | |
|-------------------------------|---------------------------|
| Performance Bond Amount \$ | Payment Bond Amount \$ |
|-------------------------------|---------------------------|

Bond Company

| | |
|-----------------|-----------------|
| Bond Number (1) | Bond Number (2) |
|-----------------|-----------------|

TO: Crown Castle
 222 East Carrillo Street, Suite 107
 Santa Barbara, CA 93101

Attn: Mr. Larry Thorne
 Phone: (805) 704-4909

, PERMITTEE

And subject to the following, **PERMISSION IS HEREBY GRANTED** to:

Excavate seven (7) bore pits and place new fiber optic cable in conduit; and install eight (8) pullboxes, on State Highway 04-SM-1, Post Mile 7.9-8.6, in the City of Pescadero.

A minimum of one week prior to the start of work under this permit, notice shall be given and advance approval of construction detail, operations, public safety and traffic control shall be obtained from State Representative Fred Farid, 111 Grand Avenue, Oakland, 94612, 415-330-6537, fred.farid@dot.ca.gov, weekdays between 7:30 am and 4:15 pm..

All permitted work requires the permittee to apply for and obtain a work authorization number prior to start of work. See the attached "Encroachment Permit Project Work Scheduling Procedures" and the attached "Permit Project Work Scheduling Request Form". Additional time beyond the minimum seven-day advanced notice required in the above paragraph may be required for obtaining approval.

THIS PERMIT IS NOT A PROPERTY RIGHT AND DOES NOT TRANSFER WITH THE PROPERTY TO A NEW OWNER.


| | |
|---|--|
| The following attachments are also included as part of this permit (<i>Check applicable</i>): <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No General Provisions (TR-0045) <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Utility & Tree Trimming Provisions (03/2013) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Storm Water Special Provisions (TR-0400) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No A Cal-OSHA permit, if required: Permit No. _____ <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No As-Built Plans Submittal Route Slip for Locally Advertised Projects <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Storm Water Pollution Prevention Plan | In addition to fee, the permittee will be billed actual costs for: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Review <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Inspection <input checked="" type="checkbox"/> Yes ----- Field Work (<i>If any Caltrans effort expended</i>) |
|---|--|

Yes No The information in the environmental documentation has been reviewed and considered prior to approval of this permit.

This permit is void unless the work is completed before August 31, 2016.

This permit is to be strictly construed and no other work other than specifically mentioned is hereby authorized.
 No project work shall be commenced until all other necessary permits and environmental clearances have been obtained.

LBM/lbm
 c: FFarid, ANaseer
 ESherman III (2)

APPROVED:
BIJAN SARTIPI, District Director, District 4
 BY: 
DAVID SALLADAY, District Permit Engineer

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

All utility work shall comply with the attached "Encroachment Permits Utility and Tree Trimming Special Provisions" (Rev. 03/2013) (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>), which includes "Encroachment Permit General Provisions" (TR-0045, Rev. 05/2007).

Certain details of work authorized hereby are shown on plan submitted with this application and/or directed by the State's Representative.

All the permittee's personnel shall wear appropriate and approved personal protective equipment per Chapter 12 of Caltrans "Safety Manual" (available at http://www.dot.ca.gov/hq/opo/safety/safetymanual/Chap_12-Sept2012.pdf), including hard hats and bright-colored safety vests, shirts or jackets with retro-reflective material, while on the State right-of-way.

The job site must be enclosed by suitable barricades, signs, and lights to warn and protect traffic effectively, as approved by the State Representative.

When approved, traffic control under this permit shall comply with Caltrans' 2015 Standard Plans T9 through T14 (available at <http://www.dot.ca.gov/des/oe/construction-contract-standards.html>).

Shoulder may be closed anytime except between 6:00 am to 9:00 am and 3:00 pm to 7:00 pm, Monday through Friday; holidays excluded. No lane closure permitted.

Streets and highways in the Bay Area contain a significant number of existing underground utilities. This includes traffic signal conduits that are installed 9 inches or less in depth. Permittee is responsible for necessary site investigations for identification of the location and depth of existing underground facilities prior to excavation (e.g. pothole or hand-dig) to avoid damage or disruption in services.

The permittee must be responsible for all compliance with the Caltrans Storm Water Program and NPDES permit requirements.

Any change or damage to any existing facilities, landscaping, irrigation or drainage pattern, whether occasioned by increase or diversion, and the cost of any damage, repairs or restoration within the State right-of-way shall be the responsibility of the permittee.

In accordance with subdivision (a) of Streets and Highways Code section 682.5, Caltrans shall not be responsible for the conduct or operation of the permitted activity, and permittee agrees to indemnify and hold harmless the State and the City or the County against any and all claims arising out of any activity for which the permit is issued.

If an accident or other incident (related to or not related to the permitted activity) occurs within, or close to the permitted activity, the Permittee shall immediately stop work and remove traffic controls from the highway unless public health, welfare and safety is endangered by unfinished work. Only traffic control to protect open excavations may remain in place. After free traffic flow is restored, work in accordance with the conditions of the permit may be resumed.

The contractor for the permittee shall apply for a separate encroachment permit ("Double Permit" or "DP") for the work authorized therein, and the application shall be accompanied by a check of the amount equivalent to 6 hours to cover the permit processing and inspection fee per the current State hourly rate (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>). Additional inspection hours will be charged at the current State hourly rate.

Immediately following completion of the work permitted herein, the permittee shall fill out and mail the Notice of Completion attached to this permit.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION
ENCROACHMENT PERMIT

VZ202973CADAUFK01

TR-0120 (REV 6/2012)

| | |
|--------------------------------------|---------------------------|
| Permit No. 0416-6UL0177 | |
| Dist/Co/Rte/PM 04-SM-1 PM 1.0-1.2 | |
| DATE July 1, 2016 | |
| Fee Paid \$ 492.00 | Deposit \$ |
| Performance Bond Amount \$ | Payment Bond Amount \$ |
| Bond Company | |
| Bond Number (1) | Bond Number (2) |

In compliance with (Check one):

- Your application of January 26, 2016
- Utility Notice No. _____ of _____
- Agreement No. _____ of _____
- R/W Contract No. _____ of _____

TO: Crown Castle
 222 East Carrillo Street, Suite 107
 Santa Barbara, CA 93101

Attn: Mr. Larry Thorne
 Phone: (805) 704-4909

, PERMITTEE

And subject to the following, **PERMISSION IS HEREBY GRANTED** to:

Excavate nine (9) bore pits, seven (7) Sunesys vaults, and place new fiber optic cable in conduit, on State Highway 04-SM-1, Post Mile 1.0-1.2, in the City of Pescadero.

A minimum of one week prior to the start of work under this permit, notice shall be given and advance approval of construction detail, operations, public safety and traffic control shall be obtained from State Representative Fred Farid, 111 Grand Avenue, Oakland, 94612, 415-330-6537, fred.farid@dot.ca.gov, weekdays between 7:30 am and 4:15 pm..

All permitted work requires the permittee to apply for and obtain a work authorization number prior to start of work. See the attached "Encroachment Permit Project Work Scheduling Procedures" and the attached "Permit Project Work Scheduling Request Form". Additional time beyond the minimum seven-day advanced notice required in the above paragraph may be required for obtaining approval.

THIS PERMIT IS NOT A PROPERTY RIGHT AND DOES NOT TRANSFER WITH THE PROPERTY TO A NEW OWNER.

| | | | |
|---|--|--|--|
| The following attachments are also included as part of this permit (<i>Check applicable</i>): | | In addition to fee, the permittee will be billed actual costs for: | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No |
| <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No | <input checked="" type="checkbox"/> Yes | <input type="checkbox"/> No |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | <input checked="" type="checkbox"/> Yes | ----- |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | | |
| <input type="checkbox"/> Yes | <input checked="" type="checkbox"/> No | | |
| | | | |

(If any Caltrans effort expended)

Yes No The information in the environmental documentation has been reviewed and considered prior to approval of this permit.

This permit is void unless the work is completed before August 31, 2016.

This permit is to be strictly construed and no other work other than specifically mentioned is hereby authorized. No project work shall be commenced until all other necessary permits and environmental clearances have been obtained.

| | |
|---|--|
| LBM/lbm c: FFarid, ANaseer ESherman III (2) | APPROVED: BIJAN SARTIPI, District Director, District 4 BY: DAVID SALLADAY, District Permit Engineer |
|---|--|

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

All utility work shall comply with the attached "Encroachment Permits Utility and Tree Trimming Special Provisions" (Rev. 03/2013) (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>), which includes "Encroachment Permit General Provisions" (TR-0045, Rev. 05/2007).

Certain details of work authorized hereby are shown on plan submitted with this application and/or directed by the State's Representative.

All the permittee's personnel shall wear appropriate and approved personal protective equipment per Chapter 12 of Caltrans "Safety Manual" (available at http://www.dot.ca.gov/hq/opo/safety/safetymanual/Chap_12-Sept2012.pdf), including hard hats and bright-colored safety vests, shirts or jackets with retro-reflective material, while on the State right-of-way.

The job site must be enclosed by suitable barricades, signs, and lights to warn and protect traffic effectively, as approved by the State Representative.

When approved, traffic control under this permit shall comply with Caltrans' 2015 Standard Plans T9 through T14 (available at <http://www.dot.ca.gov/des/oe/construction-contract-standards.html>).

Shoulder may be closed from 9:00 am to 3:00 pm, Monday through Friday; holidays excluded. No lane closure permitted.

Streets and highways in the Bay Area contain a significant number of existing underground utilities. This includes traffic signal conduits that are installed 9 inches or less in depth. Permittee is responsible for necessary site investigations for identification of the location and depth of existing underground facilities prior to excavation (e.g. pothole or hand-dig) to avoid damage or disruption in services.

The permittee must be responsible for all compliance with the Caltrans Storm Water Program and NPDES permit requirements.

Any change or damage to any existing facilities, landscaping, irrigation or drainage pattern, whether occasioned by increase or diversion, and the cost of any damage, repairs or restoration within the State right-of-way shall be the responsibility of the permittee.

In accordance with subdivision (a) of Streets and Highways Code section 682.5, Caltrans shall not be responsible for the conduct or operation of the permitted activity, and permittee agrees to indemnify and hold harmless the State and the City or the County against any and all claims arising out of any activity for which the permit is issued.

If an accident or other incident (related to or not related to the permitted activity) occurs within, or close to the permitted activity, the Permittee shall immediately stop work and remove traffic controls from the highway unless public health, welfare and safety is endangered by unfinished work. Only traffic control to protect open excavations may remain in place. After free traffic flow is restored, work in accordance with the conditions of the permit may be resumed.

The contractor for the permittee shall apply for a separate encroachment permit ("Double Permit" or "DP") for the work authorized therein, and the application shall be accompanied by a check of the amount equivalent to 6 hours to cover the permit processing and inspection fee per the current State hourly rate (available at <http://www.dot.ca.gov/hq/traffops/developserv/permits/>). Additional inspection hours will be charged at the current State hourly rate.

Immediately following completion of the work permitted herein, the permittee shall fill out and mail the Notice of Completion attached to this permit.