

Year	Normal weather	Normal weather	1-in-10 heat stor	1 - in - 10 heat st	1 - in - 10 heat st
2002	314	314	344	344	344
2003	352	352	386	386	386
2004	354	354	388	388	388
2005	367	367	402	402	402
2006	376	376	412	412	412
2007	363	363	397	397	397
2008	368	368	404	404	404
2009	351	351	385	385	385
2010	363	363	398	398	398
2011	377	377	413	413	413
2012	364	353	399	399	399
2013	369	369	404	404	404
2014	364	364	397	397	397
2015	371	371	404	404	404
2016	366	366	398	398	398
2017	373	373	406	406	406
2018	382	382	411	411	
2019	383	383	414	414	
2020	392	392	423	423	
2021	395	394	427	425	
2022	491	395	432	426	
2023	495	397	437	428	
2024	498	399	441	430	
2025	411	400	445	431	
2026	414	402	448	433	
2027	416	404	451	435	
2028	418	405	453	436	
2029	419	407	454	438	
2030	421	409	456	440	
2031	423	410	458	441	

Year	DR10Q1		(2017 - 2026)		(2017 - 2026)		(2018 -
	(DR10)	storm	(DR14-1)	storm	(DR14-2)	storm	(DR17)
2002	314	344					
2003	352	385	352	385			
2004	354	388	354	388			
2005	367	402	367	402			
2006	367	402	376	412			
2007	376	412	363	397	363	397	
2008	363	397	368	404	368	404	
2009	368	404	351	385	351	385	
2010	351	385	363	398	363	398	
2011	363	398	377	413	377	413	
2012	377	413	364	399	364	399	364
2013	364	399	369	404	369	404	369
2014	369	404	364	397	364	397	364
2015	364	397	371	404	371	404	371
2016	371	404	366	398	366	398	366
2017	371	404	371	404	371	404	373
2018	378	412	379	413	379	413	382
2019	383	418	385	419	385	419	383
2020	391	426	389	424	389	424	392
2021	396	431	394	429	394	429	395
2022	401	437	396	431	396	431	401
2023	406	442	398	434	398	433	495
2024	411	448	401	436	400	436	409
2025	416	453	403	439	402	438	411
2026	420	458	405	442	404	440	414
2027							416
2028							
2029							
2030							
2031							

2027) storm	Max Operating Limit
	435
	435
	435
	435
	435
	435
	435
	435
	435
	435
	435
399	435
404	435
397	435
404	435
398	435
406	435
411	435
414	435
423	435
427	435
432	435
437	435
441	435
445	435
448	435
451	435