

Nest Survey Report

<u>Date:</u> 08/10/2018			
Biologist(s): Amy Trexler			
Survey Area/Location/Structures: AC Mitigation Sites: KM-3, KM-4			
Proposed Construction within Survey Area Proposed construction activities include drilling we		on.	
Is Vegetation Clearing Required? Yes: □	No: 🛛		
Was Complete Survey Coverage Achieved?	Yes: ⊠ No: □		
Details of modifications to the survey area i	f complete coverage	was not achieved: N/A	
Survey Conditions:			
Time Temperature (°F): Wind Speed (mph): Cloud Cover (%): Precipitation Type (if any) and duration:	Start 7:55 am 80 ° 0-5 mph 0% n/a	End 8:30 am 80 ° 0-5 mph 0% n/a	
Habitat(s) and Vegetation Description within	in Survey Area:		
 Southern coast live oak riparian forest Southern willow riparian forest Coastal sage scrub Ornamental Disturbed 			
Description of Survey Methodology: The biologist conducted active and passive surveys for raptors, coastal California gnatcatcher, and leas feet for common passerines in residential, commen meandering transects through the habitats while searching in vegetation, the ground, the towers/poincluded stationary observation periods from select areas, using binoculars as necessary. If potential in shrubs were directly searched for nests in the areas activity or potential breeding behavior. All potent directly and/or with the aid of binoculars. Visibility to collecting comprehensive breeding data, and am	st Bell's vireo, 250 feet cial and industrial areas observing bird behavior bles, and other potential ct vantage points that presting behavior was observed behavior was observed behavior and have tial raptor nesting areas y, access, time of year a	for passerine birds in open space, . Active survey methods included r with the aid of binoculars and l nest substrates. Passive survey rovided maximum visibility of th served within the survey buffers, been observed exhibiting higher within the survey buffers were and weather conditions were all conditions were all conditions.	and 150 divalking directly methods are survey, specific levels of searched
Suitable Raptor Nesting Habitat:	Ye	es: 🛛 No: 🗌	



Suitable CAGN Nesting Habitat: Suitable LBV Nesting Habitat:			Yes: ⊠ Yes: ⊠	No: No:	ain bivivyivai, inc.				
Survey Results									
Nest(s) Located (complete table below if yes)*: (Include previously located nests and current status)		Yes:	No: 🛛						
Nest ID ¹	Species ²	Listing Status ³	Nest Stage ⁴	Observation Notes ⁵	Latitude (decimal degrees)	Longitude (decimal degrees)			
1 - Date (mmddyyy)_Biologist Initials (ABC)_Number ID (01) 2 - Include common name and four letter AOU species code 3 - 3 - Federally Endangered (FE), Federally Threatened (FT), State Endangered (SE), State Threatened (ST), Species of Special Concern (SSC), Watch List (WL), Common 4 - Building, Incubating, Nestling, Fledged, Complete/Inactive 5 - Observation Notes: Item Carry (IC- nest material, food items, fecal sacs that indicate nesting in progress), Agitated/Territorial Behavior (ATB - indicating potential nest sites or an intent to nest), Courtship Behavior (CB - copulation, chasing flights, displays, etc.), Pair in Suitable Habitat (PSH - utilizing all or portions of the buffer zone), Other Avian Species Observed (complete common name): Anna's hummingbird (ANHU), California towhee (CALT), Cassin's kingbird (CAKI), European starling (EUST), house finch (HOFI), lesser goldfinch (LEGO), mourning dove (MODO), Northern mockingbird (NOMO), song sparrow (SOSP), and wrentit (WREN).									
Additional Notes (see Avian Species Observed and Observation Notes for definition of abbreviations):									
Nesting WTKI within 0.25 miles: Nesting Raptor, CAGN, or LBV within 500 feet: Nesting Passerine within 250 feet (open space only): Nesting Passerine within 150 feet (residential, commercial, residential areas):			Yes: ☐ Yes: ☐ Yes: ☐ Yes: ☐	No: 🖂 No: 🖂 No: 🖂 No: 🖂					

 $\frac{Establishment\ of\ Nest\ Buffer\ and\ Justification:}{N/A}$