

Nest Survey Report

<u>Date:</u> 08/14/2018			
Biologist(s): Amy Trexler			
Survey Area/Location/Structures AC Mitigation Sites: KM-1, KM-2, SD			
Proposed Construction within Su Proposed construction activities include		protection.	
Is Vegetation Clearing Required:	Pres: □ No: ⊠		
Was Complete Survey Coverage	Achieved? Yes: ⊠ N	io: 🗌	
Details of modifications to the sur	rvey area if complete cov	erage was not achieved: N/	Ά
Survey Conditions:			
	Start	End	
Time	7:20 am	8:50 am	
Temperature (° F):	75°	77°	
Wind Speed (mph):	0-5 mph	0-5 mph	
Cloud Cover (%):	50%	50%	

n/a

n/a

Habitat(s) and Vegetation Description within Survey Area:

- o Coastal sage scrub
- o Ornamental
- o Disturbed

Description of Survey Methodology:

Precipitation Type (if any) and duration:

The biologist conducted active and passive surveys within a survey buffer of 0.25 mile for white tailed kite, 500 feet for raptors, coastal California gnatcatcher, and least Bell's vireo, 250 feet for passerine birds in open space, and 150 feet for common passerines in residential, commercial and industrial areas. Active survey methods included walking meandering transects through the habitats while observing bird behavior with the aid of binoculars and directly searching in vegetation, the ground, the towers/poles, and other potential nest substrates. Passive survey methods included stationary observation periods from select vantage points that provided maximum visibility of the survey areas, using binoculars as necessary. If potential nesting behavior was observed within the survey buffers, specific shrubs were directly searched for nests in the areas where birds may have been observed exhibiting higher levels of activity or potential breeding behavior. All potential raptor nesting areas within the survey buffers were searched directly and/or with the aid of binoculars. Visibility, access, time of year and weather conditions were all conducive to collecting comprehensive breeding data, and ample time was spent surveying all potential nest sites.

Suitable Raptor Nesting Habitat:	Yes: 🗵	No:
Suitable CAGN Nesting Habitat:	Yes: 🖂	No:
Suitable LBV Nesting Habitat:	Yes:	No: 🖂



Survey Results

Nest(s) Located (complete table below if yes)*: (Include previously located nests and current status)			Yes:	No: 🗵				
Nest ID¹	Species ²	Listing Status ³	Nest Stage ⁴	Observation Notes ⁵	Latitude (decimal degrees)	Longitude (decimal degrees)		
1 - Date (mmddyyy)_Biologist Initials (ABC)_Number ID (01) 2 - Include common name and four letter AOU species code 3 - 3 - Federally Endangered (FE), Federally Threatened (FT), State Endangered (SE), State Threatened (ST), Species of Special Concern (SSC), Watch List (WL), Common 4 - Building, Incubating, Nestling, Fledged, Complete/Inactive 5 - Observation Notes: Item Carry (IC- nest material, food items, fecal sacs that indicate nesting in progress), Agitated/Territorial Behavior (ATB – indicating potential nest sites or an intent to nest), Courtship Behavior (CB – copulation, chasing flights, displays, etc.), Pair in Suitable Habitat (PSH – utilizing all or portions of the buffer zone), Other Avian Species Observed (complete common name): Allen's hummingbird (ALHU), California scrub-jay (CASJ), California towhee (CALT), coastal California gnatcatcher (CAGN), house finch (HOFI), lesser goldfinch (LEGO), mourning dove (MODO), Northern mockingbird (NOMO), song sparrow (SOSP), spotted towhee (SPTO), and wrentit (WREN).								
Additional Notes (sabbreviations):	<u>ee Avian Spec</u>	cies Observo	ed and Obse	ervation Notes for defi	<u>nition of</u>			
Nesting Ray Nesting Pas Nesting Pas	ΓΚΙ within 0.25 ptor, CAGN, o sserine within 2 sserine within 1 l, residential an	r LBV within 250 feet (open 150 feet (resid	n space only)	Yes: ☐ Yes: ☐ Yes: ☐ Yes: ☐	No: 🖂 No: 🖂 No: 🖂 No: 🖂			
Establishment of N/N/A	est Buffer and	l Justificati	on:					