Mary Bram

### CORPORATE PROFILE






















Changing World Technologies, Inc. is an energy and environmental service company that provides funding and management expertise to its joint ventures and wholly owned subsidiaries. Our mission is to identify, introduce and commercialize environment-friendly energy technologies to the international marketplace. Our company's products and services are aimed at providing energy independence, ensuring a better future for industry, business, engineering and science throughout I world.

**CWT** is the owner and developer of processes that convert industrial waste and low-value streams into fuels, oils, gases and carbons, with no hazardous emissions into environment.

# **ENERGY AND ENVIRONMENTAL SERVICE PROVIDER**



# This is what you get

Complete beneficial re-use of waste or low-value material

- No secondary waste streams
- A system of environmental compliance, reducing liability and contaminants
- Improvement of health and safety standards

The success of converting waste and low value streams into a bio-derived oil will greextend our worldwide reserves of fuel-derived distributed electricity generation on a effective basis. It will revolutionize renewable energy, change the way in which organizerials are utilized and provide a platform for more reasonable sustainable development.

ABOUT CWT

TECHNOLOGY

INDUSTRY & THE ENVIRONMENT

PARTNERS NEWS

PRESS OFFICE

CONTA

Copyright © Changing World Technologies CWT is a trademark of Changing World Technologies.

All rights reserved

Marty Brann

# CONVERSION TECHNOLOGY




To see our pilot plant in Philadelphia, PA, Click Here


GUR PRODUCTS

To see our first commercial facility in progress in Carthage, MO, - Click Here



TECHNOLOGY PAPERS





What is TCP?

The Thermal Conversion Process, or TCP, copies the geological and geothermal processes of natu technology emulates what occurs daily in the earth's subduction zones, but uses an accelerated pro

TCP mimics the earth's system; however, TCP takes only minutes to do what nature does over thousands of years. By controlling the temperature and pressure of this man-made system through the use of pipes, TCP produces high quality products, including valuable oils that do not contain any tars or asphaltines. The solid component is also produced the way nature would recycle its elements. TCP reforms even heavy metals into oxides that are safe and non-leachable and pass TCLP (leaching) standards.



# Technology Development and Deployment

▲ TOP

Commercialization efforts begin with testing in both batch and continuous process configurations. T development includes scientific and engineering disciplines to find practical solutions to environmen energy challenges. Mass and energy balances are confirmed to validate economies from a capital appearating perspective. Operational plants can be constructed within one(1) year. Permitting is not a since the process and technologies avoid any combustion and other waste by-products.

Copyright © Changing World Technologies CWT is a trademark of Changing World Technologies.

All rights reserved

# 

IN AN INDUSTRIAL PARK IN PHILADELPHIA SITS A NEW MACHINE THAT CAN CHANGE ALMOST ANYTHING INTO OIL. Really.

"This is a solution to three of the biggest problems facing mankind," says Brian Appel, chairman and CEO of Changing World Technologies, the company that built this pilot plant and has just completed its first industrial size installation in Missouri. "This process can deal with the world's waste. It can supplement our dwindling supplies of oil. And it can slow down global warming."

Pardon me, says a reporter, shivering in the frigid dawn, but that sounds too good to be true.

"Everybody says that," says Appel. He is a tall, affable entrepreneur who has assembled a team of scientists, former government leaders, and deep-pocketed investors to develop and sell what he calls the thermal depolymerization process, or TDP. The process is designed to handle almost any waste product imaginable, including turkey offal, tires, plastic bottles, harbor-dredged muck, old computers, municipal garbage, cornstalks, paper-pulp effluent, infectious medical waste, oil-refinery residues, even biological weapons such as anthrax spores. According to Appel, waste goes in one end and comes out the other as three products, all valuable and environmentally benign: high-quality oil, clean-burning gas, and purified minerals that can be used as fuels, fertilizers, or specialty chemicals for manufacturing.

Unlike other solid-to-liquid-fuel processes such as cornstarch into ethanol, this one will accept almost any carbon-based feedstock. If a 175-pound man fell into one end, he would come out the

Gory refuse, opposite, from a Butterball Turkey plant in Carthage, Missouri, will no longer go to waste. Each day 200 tons of turkey offal will be carted to the first industrial-scale thermal depolymerization plant, recently completed in an adjacent lot, and be transformed into various useful products, including 600 barrels of light oil. The offal-derived oil, right, is chemically almost identical to a number two fuel oil used to heat homes.





other end as 38 pounds of oil, 7 pounds of gas, and 7 pounds of minerals, as well as 123 pounds of sterilized water. While no one plans to put people into a thermal depolymerization machine an intimate human creation could become a prime feedstock. "There is no reason why we can't turn sewage, including human. excrement, into a glorious oil," says engineer Terry Adams, a project consultant. So the city of Philadelphia is in discussion with Changing World Technologies to begin doing exactly that

The potential is unbelievable," says Michael Roberts, a senior chemical engineer for the Gas Technology Institute, an energy research group. "You're not only cleaning up waste; you're talking about distributed generation of oil all over the world."

This is not an incremental change. This is a big, new step, agrees Alf Andreassen; a venture capitalist with the Paladin Capital Group and a former Bell Laboratories director.

Andreassen and others anticipate that a large chunk of the world's agricultural, industrial, and municipal waste may some day go into thermal depolymerization machines scattered all over the globe. If the process works as well as its creators daim, not only would most toxic waste problems become history, so would imported oil. Just converting all the U.S. agricultural waste into oil and gas would yield the energy equivalent of 4 billion barrels of oil annually. In 2001 the United States imported 4.2 billion barrels of oil. Referring to U.S. dependence on oil from the volatile Middle East, R. James Woolsey, former CIA director, and an adviser to Changing World Technologies, says, "This technology offers a beginning of a way away from this."

But first things first. Today, here at the plant at Philadelphia's Naval Business Center, the experimental feedstock is turkey processing-plant waste: feathers, bones, skin, blood, fat, guts. A forklift dumps 1,400 pounds of the nasty stuff into the machine's first stage; a 350-horsepower grander that masticates it mto gray brown slurry. From there it flows into a series of lanks and pipes, which hum and hiss as they heat, digest, and break down the mixture. Two hours later, a white-jacketed technician turns a spigot. Out pours a honey-colored fluid, steaming a bit in the cold warehouse as it fills a glass beaker

It really is a lovely oil

"The longest carbon chains are C-18 or so," says Appel, admiring the liquid. "That's a very light oil. It is essentially the same as a mix of half fuel oil, half gasoline."

Private investors, who have chipped in \$40 million to de velop the process, aren't the only ones who are impressed. The federal government has granted more than \$12 million to push the work along, "We will be able to make oil for \$8 to \$12 a barrel," says Paul Baskis, the inventor of the process: "We are going to be able to switch to a carbohydrate economy."

MÁKING OIL AND GAS FROM HYDROCARBON-BASED WASTE IS A TRICK that Earth mastered long ago. Most crude oil comes from onecelled plants and animals that die, settle to ocean floors, decompose, and are mashed by sliding tectonic plates, a process geologists call subduction. Under pressure and heat, the dead creatures' long chains of hydrogen, oxygen, and carbon-bearing molecules, known as polymers, decompose into short-chain petroleum hydrocarbons. However, Earth takes its own sweet time doing this—generally thousands or millions of years-

because subterranean heat and pressure changes are chaotic. Thermal depolymerization machines turbocharge the process by precisely raising heat and pressure to levels that break the feedstock's long molecular bonds.


Many scientists have tried to convert organic solids to liquid fuel using waste products before, but their efforts have been notoriously inefficient. "The problem with most of these methods was that they tried to do the transformation in one step—superheat the material to drive off the water and simultaneously break down the molecules," says Appel. That leads to profligate, energy use and makes it possible for hazardous substances to pollute the finished product. Very wet waste—and much of the world's waste is wet—is particularly difficult to process efficiently. because driving off the water requires so much energy. Usually, the Btu content in the resulting oil or gas barely exceeds the amount needed to make the stuff

That's the challenge that Baskis, a microbiologist and inventor who lives in Rantoul, Illinois, confronted in the late 1980s: He says he "had a flash" of insight about how to improve the basic ideas behind another inventor's waste-reforming process. "The prototype I saw produced a heavy, burned oil." recalls Baskis. "I drew up an improvement and filed the first patents." He spent the early 1990s wooing investors and, in 1996, met Appel, a former commodities trader. "I saw what this could be and took over the patents," says Appel, who formed a partnership with the Gas Technology Institute and had a demonstration plant up and running by 1999

Thermal depolymerization, Appel says, has proved to be 85 percent energy efficient for complex feedstocks, such as turkey offal: That means for every 100 Brus in the feedstock, we use only 15 Brus to run the process? He contends the efficiency. is even better for relatively dry raw materials, such as plastics

## GARBAGE IN, OIL OUT

THE THERMAL DEPOLYMERIZATION PROCESS CAN CONVERT A WIDE RANGE O waste materials into oil and other useful by products, in proportions that vary according to the specific type of feedstock run through the works:



John County Test w

So how does it work? In the cold Philadelphia warehouse, Appel waves a long arm at the apparatus, which looks surprisingly low tech; a tangle of pressure vessels, pipes, valves and heat exchangers terminating in storage tanks. It resembles the oil refineries that stretch to the horizon on either side of the New Jersey Turnpike, and in part, that's exactly what it is,

Appel strides to a silver gray pressure tank that is 20 feet long; three feet wide, heavily insulated, and wrapped with electric heating coils. He raps on its side: "The chief difference in our process is that we make water a friend rather than an enemy he says: "The other processes all tried to drive out water. We drive it in, inside this tank, with heat and pressure. We superhydrate the material." Thus temperatures and pressures need only be modest; because water helps to convey heat into the feedstock: "We're talking about temperatures of 500 degree Fahrenheit and pressures of about 600 pounds for most or ganic material—not at all extreme or energy intensive. And the cooking times are pretty short, usually about 15 minutes

Once the organic soup is heated and partially depolymen ized in the reactor vessel, phase two begins, "We quickly drop the slurry to a lower pressure, says Appel, pointing at a branching series of pipes. The rapid depressurization releases about 90 percent of the slurry's free water. Dehydration via depres surization is far cheaper in terms of energy consumed than is heating and boiling off the water, particularly because no heat

is wasted."We send the flashed-off water back up there," Appel says, pointing to a pipe that leads to the beginning of the process, to heat the incoming stream?


At this stage, the minerals—in turkey waste, they come mostly from bones—settle out and are shunted to storage tanks; Rich in calcium and magnesium; the dried brown powder "is a përfect balanced fërtillizet? Appel says.

The remaining concentrated organic soup gushes into a second-stage reactor similar to the coke ovens used to refine oil into gasoline. "This technology is as fold as the hills," says Appel, grunning broadly. The reactor hears the soup to about 900 degrees Fahrenheit to further break apart long molecular chains: Next; in vertical distillation columns; hot vapor flows up; condenses, and flows out from different levels; gases from the top of the column, light oils from the upper middle, heavier oils from the middle, water from the lower middle, and powdered carbon—used to manufacture tires, filters, and printer toners—from the bottom. 'Gas is expensive to transport, so we use it on site in the plant to hear the process?' Appel says The oil, minerals, and carbon are sold to the highest bidders.

Depending on the feedstock and the cooking and coking times, the process can be tweaked to make other specialty chemicals that may be even more profitable than oil. Turkey offal, for example; carr be used to produce farty acids for soap, tires, paints, and lubricants, Polyvinyl chiloride or PVC—the stuff of house


FEEDSTOCK IS FUNNELED INTO A GRINDER AND MIXED WITH water to create a slurry that is pumped into the first-stage reactor, where heat and pressure partially break apart long molecular chains. The resulting organic soup flows into a flash vessel where pressure drops dramatically, liberating some of the water, which returns back upstream to preheat the flow into the firststage reactor. In the second-stage reactor, the remaining organic

material is subjected to more intense neat; continuing the breakup of molecular chains: The resulting not vapor then goes into ver tical distillation tanks, which separate it into gases, light oils heavy oils; water, and solid carbon. The gases are burned on-site to make heat to power the process, and the water, which is pathogen free, goes to a municipal waste plant. The oils and carbon are deposited in storage tanks, ready for sale. -Brad Lemiev



PLASTIC BOTTLES: 70

MEDICAL WASTE: 65 pounds oil, 10 pounds gas, 5 pounds carbon and metal solids, 20 pounds water.



siding, wallpapers, and plastic pipes—yields hydrochloric acid, a relatively benign and industrially valuable chemical used to make cleaners and solvents. "That's what's so great about making water a friend," says Appel. "The hydrogen in water combines with the chlorine in PVC to make it safe. If you burn PVC [in a municipal-waste incinerator], you get dioxin—very toxic."

The technicians here have spent three years feeding different kinds of waste into their machinery to formulate recipes. In a little trailer next to the plant, Appel picks up a handful of onegallon plastic bags sent by a potential customer in Japan. The first is full of ground-up appliances, each piece no larger than a pea. "Put a computer and a refrigerator into a grinder, and that's what you get," he says, shaking the bag. "It's PVC, wood, fiberglass, metal, just a mess of different things. This process handles mixed waste beautifully." Next to the ground-up appliances is a plastic bucket of municipal sewage. Appel pops the lid and instantly regrets it. "Whew," he says. "That is nasty."

Experimentation revealed that different waste streams require different cooking and coking times and yield different finished products. "It's a two-step process, and you do more in step one or step two depending on what you are processing," Terry Adams says. "With the turkey guts, you do the lion's share in the first stage. With mixed plastics, most of the breakdown happens in the second stage." The oil-to-mineral ratios vary too. Plastic bottles, for example, yield copious amounts of oil, while tires yield more minerals and other solids. So far, says Adams, "nothing hazardous comes out from any feedstock we try."

"The only thing this process can't handle is nuclear waste," Appel says. "If it contains carbon, we can do it."

# A BOON TO OIL AND COAL COMPANIES

ONE MIGHT EXPECT FOSSIL-FUEL COMPANIES TO FIGHT THERMAL depolymerization. If the process can make oil out of waste, why would anyone bother to get it out of the ground? But switching to an energy economy based entirely on reformed waste will be a long process, requiring the construction of thousands of thermal depolymerization plants. In the meantime, thermal depolymerization can make the petroleum industry itself cleaner and more profitable, says John Riordan, president and CEO of the Gas Technology Institute, an industry research organization: Experiments at the Philadelphia thermal depolymerization plant have converted heavy crude oil, shale, and tar sands into light oils, gases, and graphite-type carbon. "When you refine petroleum, you end up with a heavy solid-waste product (that's a big problem," Riordan says. "This technology will convert these waste materials into natural gas, oil, and carbon. It will fit right into the existing intrastructure."

Appel says a modified version of thermal depolymentzation could be used to inject steam into underground tair-sand deposits and then refine them into light oils at the surface, making this abundant, difficult-to-access resource far more available. But the coal industry may become thermal depolymenization's biggest fossil-fuel beneficiary, "We can clean up coal dramatically," says:Appel: So far, experiments show the process can extract sultur, mercury, naphtha, and olefins—all salable commodities from coal, making it burn notter and cleaner, Pretreating with thermal depolymerization also makes coal more friable, so less energy is needed to crush it before combustion in electricity generating plants. —B, L.

This Philadelphia pilot plant can handle only seven tons of waste a day, but 1,054 miles to the west, in Carthage, Missouri, about 100 yards from one of ConAgra Foods massive Butterball Turkey plants, sits the company's first commercial-scale thermal depolymerization plant. The \$20 million facility, scheduled to go online any day, is expected to digest more than 200 tons of turkey-processing waste every 24 hours.

THE NORTH SIDE OF CARTHAGE SMELLS LIKE THANKSGIVING ALL THE time. At the Butterball plants workers slaughter, pluck, parcook; and package 30,000 turkeys each workday, filling the air with the distinctive tang of boiling bird. A factory tour reveals the grisly-realities of large-scale poultry processing. Inside, an endless chain of hanging carcasses clanks past knife-wielding laborers who slash away. Outside, a tanker truck idles, full to the top with fresh turkey blood. For many years, ConAgra Foods has trucked the plant's waste—feathers, organs, and other nonusable parts—to a rendering facility where it was ground and dried to make animal feed, fertilizer, and other chemical products: But bovine spongiform encephalopathy; also known as mad cow disease, can spread among cattle from recycled

# CAN THERMAL DEPOLYMERIZATION SLOW GLOBAL WARMING?

IF THE THERMAL DEPOLYMERIZATION PROCESS WORKS AS CLAMED. It will clean up waste and generate new sources of energy. But its back ers contend the burden also stem global warning, which sounds iffly After all, burning piccreares global warning, doesn't the call burning piccreares global warning, doesn't the call burning piccreares global warning, doesn't the call of the major chemical constituent of most organismable of plants take it in, animals eat plants, die-rand decompose, and plants take it in, animals eat plants, die-rand decompose, and plants take it hadking ad infinitum. Since the industrial revolution burnian beings purning fossil fuels have poosted concentrations of atmospheric carbon in the farm of carbon dioxide accomposition of the process of the plants of cumulates in the atmosphere, it traps so a radiation, which warms the atmosphere and, some say, disrupts the planet's ecosystems.

But it there were a global shift to thermal depolymentation technologies, belowground carbon would remain there. The accounternants of the civilized world—domestic animals and plants, buildings, antilicial objects of all kinds—would then be regarded as temporary carbon sinks. At the end of their useful lives, they would be converted in the mail depolymerization machines into short-chain fuels, tertilizers, and industrial raw materials, ready for plants or people to convert them back into long. chains again. So the only carbon used would be that which already ex isted above the surface; it could no longer dangerously accumulate in the atmosphere, "Suddenly, the whole built world just becomes a temporary, carpon sink," says Paul Baskis, inventor of the thermal depolymentation 

feed; and although no similar disease has been found in poultry, regulators are becoming skittish about feeding animals to animals. In Europe the practice is illegal for all livestock. Since 1997, the United States has prohibited the feeding of most recycled aritimal waste to cattle. Ultimately, the specter of European-style mad-cow regulations may kick-start the acceptance of thermal depolymentation. "In Europe, there are mountains of bones piling up," says Alf Andreassen. "When recycling waste into feed stops in this country, it will change everything."


Because depolymerization takes apart materials at the molecular level, Appel says, it is "the perfect process for destroying pathogens." On a wet afternoon in Carthage, he smiles at the new plant—an artless assemblage of gray and dun-colored s buildings—as if it were his favorite child. "This plant will make: 10 tons of gas per day, which will go back into the system to make heat to power the system." he says. "It will make 21,000. gallons of water, which will be clean enough to discharge into a municipal sewage system. Pathological vectors will be completely gone: It will make 11 tons of minerals and 600 barrels of oil, high-quality stuff, the same specs as a number two heating oil." He shakes his head almost as if he can't believe it: "It's amazing. The Environmental Protection Agency doesn't even consider us waste handlers. We are actually manufacturers that's what our permit says. This process changes the whole industrial equation. Waste goes from a cost to a profit

He watches as burly men in coveralls weld and grind the complex loops of piping. A group of 15, investors and corporate advisers, including Howard Buffett, son of billionaire investor Warren Buffett, stroll among the sparks and hissing torches, listening to a tour led by plant manager Don Sanders: A veteran of the refinery business, Sanders emphasizes that once: the pressurized water is flashed off, the process is similar to oil refining. The equipment, the procedures, the safety factors, the maintenance—it's all proven technolog

And it will be profitable, promises Appel, "We've done so much testing in Philadelphia, we already know the costs," he says, "This is our first-out plant, and we estimate we'll make oil at \$15 a barrel. In three to five years, we'll drop that to \$10; the same as a medium-size oil exploration and production company. And it will get cheaper from there.

"We've got a lot of confidence in this," Buffett says. "I repre sent ConAgra's investment. We wouldn't be doing this if we didn't anticipate success." Buffett isn't alone. Appel has lined up fed. eral grant money to help build demonstration plants to process chicken offal and manure in Alabama and crop residuals and grease in Neyada: Also in the works are plants to process turkey waste and manure in Colorado and pork and cheese waste in Italy. He says the first generation of depolymerization centers. will be up and running in 2005. By then it should be clear whether the technology is as miraculous as its backers claim. 🗵 💮 🕞

THE RESIDENCE OF THE PROPERTY OF THE PARTY O





EUREKA: Chemistry, not alchemy, turns (A) turkey offal-guts, skin, bones, fat, blood, and feathers-into a variety of useful products. After the first-stage heat-and-pressure reaction, fats, proteins, and carbohydrates break down into (B) carboxylic oil, which is composed of fatty acids, carbohydrates, and amino acids. The second-stage reaction strips off the fatty acids' carboxyl group (a carbon atom, two oxygen atoms,

and a hydrogen atom) and breaks the remaining hydrocarbon chains into smaller fragments, yielding (C) a light oil. This oil can be used as is, or further distilled (using a larger version of the bench-top distiller in the background) into lighter fuels such as (D) naphtha, (E) gasoline, and (F) kerosene. The process also yields (G) fertilizer-grade minerals derived mostly from bones and (H) industrially useful carbon black.